



CATALOGUE



www.rejs.eu

Contents

■ ABOUT US.....	5
■ KITCHEN	12
 Systems for lower cabinets	14
Variant MULTI Line mini side cargo	14
Variant MULTI Line mini base cargo	18
Cargo mini Slim Box.....	24
Maxima Line mini side cargo	26
Maxima Line mini base cargo	28
 Corner cabinet systems.....	30
Maxima Line Corner Comfort	30
Maxima Line Corner Front.....	32
Maxima Line Corner Optima	34
Variant Line, Maxima Line Carousels	36
 Storage for tall cabinets	38
Maxima Line cargo midi / maxi	38
Maxima Line base cargo midi / maxi	40
Cargo maxi Slim Box	42
 Systems for overhead cabinets	44
Dish drainers.....	44
 Drawer systems.....	46
Dish drainers.....	46
 Complementary components.....	48
Variant MULTI Line / Maxima Line.....	48
Maxima Line / Dish drainers.....	49
 Organizers and accessories	50
Wine glass rack	50
 Railing system.....	52
Basic components	52
 LED profiles	56
Basic components	56
 Technical information	58
Variant MULTI Line side cargo mini	58
Variant MULTI Line mini base cargo	59
Cargo mini Slim Box.....	61
Maxima Line mini side cargo, mini base cargo	62
Maxima Line Corner Comfort	63
Maxima Line Corner Front.....	64
Maxima Line Corner Optima	65
Variant Line, Maxima Line Carousels	66
Maxima Line midi / maxi side cargo	67
Maxima Line midi / maxi base cargo	68
Cargo maxi Slim Box	69
Dish drainers.....	70
Railing system.....	73

■ WASTE SEGREGATION	76
Segrego.....	78
JC	80
Variant MULTI	82
Praktiko.....	84
Sorte	86
Aladin, Sesamo, Automat	88
Electrical drawer opening systems	90
Containers and accessories for individual combinations	94
■ DRAWER SYSTEMS AND RUNNERS	98
Overview of the icons used in the catalogue	100
Drawer systems.....	101
Maxima Puro - internal drawers	102
Slim Box - drawers with front	104
Slim Box - internal drawers.....	106
Comfort Box - drawers with front.....	108
Comfort Box - internal drawers	110
Metal Box	112
Internal organisation	116
Internal organisation - Slim Box	128
Internal organisation - Comfort Box	130
Accessories	132
Maxima Puro - internal drawers - assembly information	135
Slim Box - assembly information	136
Comfort Box - assembly information.....	137
Metal Box - assembly information.....	138
Runner systems.....	139
Roller Runner.....	140
Ball bearing runner.....	141
Base mounted runner	145
Roller runner Basic - assembly information	148
Ball bearing runner H45 without soft-close.....	149
Solid Slide ball-bearing runner H45 with soft close - assembly information	150
Ball bearing runner H45 push open - assembly information.....	151
Comfort Slide 3D 30 kg - assembly information	152
Comfort Slide Plus 3D soft-close 40 kg - assembly information	153
Comfort Slide Plus 3D push open 40 kg - assembly information.....	154
■ THE DRESSING ROOM.....	156
Maxima Puro Line.....	158
Variant Multi Line	166
Simpla.....	169
Hangers	170
Accessories	173
■ BATHROOM, LAUNDRY, UTILITY ROOM	178
Bathroom	181
Drawers & baskets.....	182
Flexible siphon housing	188
Foldable clothes drying rack.....	190
Accessories	192
Technical information	193
Laundry, utility room	197
House Master - organisational system for housekeeping articles	198
Mini base cargo	200
Hooks, holders, baskets.....	202

■ OFFICE	208
Desk Frame.....	210
Extension leads.....	214
Accessories.....	218
■ HINGES AND FLAP FITTINGS.....	222
Overview of the icons used in the catalogue	224
Hinges.....	225
Offer Overview	225
Expert - general information	226
Regular - general information.....	228
Basic - general information.....	229
Expert - Standard Application.....	230
Expert - Angled Application +45°.....	232
Expert - Parallel Application	234
Expert - Special Application - wide opening angle 130° - 165°.....	236
Expert - Special Application - wide opening angle, zero offset.....	238
Regular - Standard Application.....	240
Basic - Standard Application.....	242
Basic - Angled Application	244
Basic - Parallel Application	246
Basic - Special Application - wide opening angle.....	248
Dampening and non-handled opening systems	250
Damper / CLICK-ON	250
Flap fittings	251
Kitchen cabinet flap lifts - general information	251
Flap lifts	252
■ DECORATIVE ELEMENTS:	
ALUMINIUM FRAME, HANDLES	256
Aluminium profiles & frames.....	259
Profiles and frames.....	260
Aluminium handles & hooks.....	263
Railing.....	264
Edge screw-on	265
Handle profiles	267
Hooks.....	270
■ ADDITIONAL ACCESSORIES	272
Furniture legs	274
Furniture feet	275
Clips, regulators, plugs	278
Glides and castors	279
Wall cabinet hangers and mounting strips	280
Furniture braces and connectors.....	283
Shelf supports and brackets	286
Aluminum trims.....	288
Ventilation grills.....	289
Locks.....	290
Bench frames, plinth frames	291
Brackets and clamps.....	292
Various accessories	294
Information section	296



ABOUT US


REJS AS A MANUFACTURER



Rejs is one of the leading manufacturers of furniture accessories in Europe. We specialize in the production of wire, steel and aluminum fittings for modern kitchens, bathrooms and wardrobes. The founder and owner is Jan Rejs who, together with his sons, has been implementing the company's strategy continuously since 1993.

Currently, the company employs 700 employees, three modern production plants operate within the REJS group, a modern research and development center, central warehouse and tool shop. Thanks to our own paint shops, electroplating plants and carpentry centers, REJS can provide comprehensive customer service at each stage of implementation.

Our goal is excellence - both in quality and professional customer service. That is why we take great care of our own-distribution network, guaranteeing price competitiveness, deliveries in a short time, as well as friendly and professional help of advisers.



- principle production activities are **furniture elements**
- the main raw materials for production are **steel, wire and aluminum**
- production process based on the **latest technologies**
- **highly qualified design engineers**, programming and quality control
- **research and development department**
- **Protech** provides services in the field of applying decorative coatings to metals, it is one of the **largest and most modern electroplating companies in Poland**
- **Alus** - a modern aluminum and glass processing plant



3 production facilities



central warehouse




modern toolshop



Research & Development Department



REJS IN NUMBERS



FAMILY COMPANY

We are a member of the Family Company Foundation

MANY YEARS OF EXPERIENCE

Established in 1993

COVERAGE

28 sales branches across Poland and abroad

SURFACE AREA

40.000 m²
całkowitej powierzchni



PRODUCTION

3 production facilities

WHOLESAVERS

16 Furniture accessories wholesalers, 2 showrooms

QUALITY GUARANTEE

Certificate ISO 9001:2015

EMPLOYEES

700 staff employed in the REJS group

SERVICES FOR INDUSTRY



POWDER COATING



SHEET METAL LASER PROCESSING



ALUMINIUM PROCESSING



METAL FORMING



WIRE FORMING



TUBE & PROFILE FORMING



CNC
CNC GLASS FORMING




GLASS FORMING



WELDING



SANDING & BUFFERING



ELECTROPLATING




PAINTING HOOKS




SPOT WELDING



TOOLS FOR DESIGNERS




3D models




a gallery
of inspiration



assembly
films



FIND US HERE



e-rejs.eu



RejsRypin



rejs_wyposazenie_mebli



REJS Group



Rejs2012



REJS IN POLAND...




REJS FURNITURE ACCESSORIES WHOLESALERS

Białystok 15-399 ul. Octowa 3A tel. 85 742 2552 bialystok@rejs.eu	Bralin k/Kępna 63-640 ul. Kępińska 32 tel. 62 781 1266 bralin@rejs.eu	Bydgoszcz 85-758 ul. Przemysłowa 30B tel. 52 320 7225 bydgoszcz@rejs.eu	Elbląg 82-300 ul. Warszawska 135 tel. 55 236 1908 elblag@rejs.eu	Gdynia 81-036 ul. Pucka 35 tel. 58 667 2194 gdynia@rejs.eu	Gosławice k/Dobrodzienia 46-380 ul. Lubliniecka 2A tel. 34 341 2714 goslawice@rejs.eu
Lublin 20-447 ul. Diametrowa 10A tel. 81 748 0380 lublin@rejs.eu	Luboń k/Poznania 62-030 ul. F. Chopina 18 tel. 61 862 3143 poznan@rejs.eu	Łomża 18-400 ul. Piłsudskiego 113 tel. 505 489 871 lomza@rejs.eu	Płock 09-400 ul. Przemysłowa 16A tel. 24 268 1936 plock@rejs.eu	Rybnik 44-203 ul. Przemysłowa 3 tel. 32 424 4164 rybnik@rejs.eu	Rypin 87-500 ul. Mławska 48 tel. 54 233 7224 rypin@rejs.eu
Siemianowice Śl. 41-100 ul. Bytomska 43 tel. 32 253 0705 siemianowice@rejs.eu	Suwałki 16-400 ul. Sejneńska 83 tel. 87 566 3880 suwalki@rejs.eu	Szczecin 70-809 ul. Cz. Piskorskiego 3 tel. 91 434 4800 szczecin@rejs.eu	Świętochłowice 41-600 ul. Sądowa 7 tel. 32 345 4207 swietochlowice@rejs.eu	Toruń 87-100 ul. Chrobrego 121/125 tel. 56 623 7329 torun@rejs.eu	Zielona Góra 65-775 ul. Zaczysze 16 tel. 68 323 9281 zielonagora@rejs.eu

REJS AUTHORISED DISTRIBUTORS

Carmin SPF Sp. z o.o. Lublin 20-469 ul. Budowlana 10 tel. 81 749 84 34 ep@carmin.pl	Dekor-płyty Sp. z o.o. Łódź 94-103 ul. Elektronowa 4 tel. 42 688 90 05 biuro@dekor-plyt.pl	Fest Sp. z o.o. Olsztyn 10-603 ul. Metalowa 3C tel. 89 532 96 52 jarek@fest.olsztyn.pl	Furnifit Sp. z o.o. Biłgoraj 23-400 ul. Lubelska 8 tel. 534 888 787 sklep@furnifit.pl	Kielmar Sp. z o.o. Jelenia Góra 58-500 ul. Wincentego Pola 8F tel. 505 378 584 biuro@kielmar.pl	Kraft Sp. z o.o. Wrocław 51-318 ul. Zakrzowska 23 tel. 600 486 099 rafal.drozdowski@kraft-am.pl
--	---	---	--	--	--

...AROUND THE WORLD



• REJS IN EUROPE:

Germany

Rejs Ausstellungsraum
79540 Lörrach, Kreuzstraße 2
tel. +49 (0) 7621/ 9537920
e-mail: rejs.de@rejs.eu

Russia

REJS RUS LLC
105275, Russian Federation Moscow,
pr-t Budennogo, 53, office 306
tel. +7495-9-888-626
e-mail: buro@rejsrus.ru
www.rejsrus.ru

Great Britain

REJS UK INT LTD.
Unit 28, Slough Business Park
94 Farnham Road, Slough SL1 3FQ
tel. 078 8724 1688
e-mail: office@rejsltd.co.uk
www.rejsltd.co.uk



KITCHEN





Let's start with the kitchen ...

The kitchen is the place where the heart of every home beats. Lazy breakfasts, family dinners, romantic suppers. A meeting place for all household members. In order to fully enjoy its comfort, it is worth thinking about how the space should be arranged, at the beginning of the designing stage. Thanks to the spacious drawers and cargo baskets, we will have convenient access to all stored products - even those at the back and below.

One kitchen, many possibilities

REJS systems consist of several product lines. The **Variant MULTI line** is packed with solutions and even more product configuration options. The user chooses the type of running system and the version of wire baskets, enabling the creation of an ideally tailored product to be created, suiting the needs and characteristics of a given place in the kitchen, as well as the size of the wallet.


The **Maxima line** is a system designed for a demanding user, it includes 4 styles of baskets: Puro, Silva, Evo and Classic. The heart of the systems for lower and tall cabinets are durable frames and extension systems, guaranteeing smooth and comfortable movement during thousands of opening and closing cycles.

The **Maxima Puro line** is the latest offer from REJS, available in two color versions: black with wooden decor and white - with glass. The full shelves of the system are made from high steel quality. The **Maxima Silva line** is characterized by shelves made of laminated board and chrome wire, **Maxima Evo** is in turn a combination of chrome wire and plastic trays which can be detached and easy to clean. In the **Maxima Classic** version, the cargo baskets are fully made from chrome wire. You can store cutlery, pots and dry food on them - like flour or sugar, as they ensure good air circulation.

The kitchen accessories offer is complemented by: one and two-tier drainers and railing systems, which can be a practical and decorative elements of the kitchen at the same time.



Product characteristics:



Basic Components

1 Side basket 150-250



width	index	colour
150	WE03.7319.01	001, 003, 062, 549
200	WE03.7419.01	001, 003, 062, 549
250*	WE29.0124.01	001, 062, 549

2 Side extension system

extension system / runner	fixing side	index	colour
REJS FULL	L	WE29.0012.01	549
REJS FULL	R	WE29.0013.01	549

full extension, soft close L-450



cover plate	fixing side	index	colour
BLUM TANDEM PLUS	L	WE29.0024.01	549
BLUM TANDEM PLUS	R	WE29.0025.01	549

runner not included
compatible only with runner
560H4500B



cover plate	fixing side	index	colour
BLUM TANDEM PLUS	L	WE29.0152.01	549
BLUM TANDEM PLUS	R	WE29.0153.01	549

runner not included
compatible only with runner
560F4500B



extension system / runner	fixing side	index	colour
REJS PUSH	L	WE29.0015.01	549
REJS PUSH	R	WE29.0016.01	549

full extension, push-open L-450




extension system / runner	fixing side	index	colour
HETTICH QUADRO V6	L	WE29.0021.01	549
HETTICH QUADRO V6	R	WE29.0022.01	549

full extension, soft close L-450



Cargo extension diagram:



Additional information

Complementary components on pg. 48
Installation instructions on pg. 58


Legend:

* compatible with all extension systems with the exception of REJS PUSH

L **R** indicates which side of the cabinet corpus the basket is fixed to



Product characteristics:



Basic Components

1 Side basket for towels 150



width	index	colour
150	WE29.0001.01	001, 062

2 Side extension system

extension system / runner	fixing side	index	colour
REJS FULL	L	WE29.0012.01	549
REJS FULL	R	WE29.0013.01	549

full extension, soft close L-450




extension system / runner	fixing side	index	colour
HETTICH QUADRO V6	L	WE29.0021.01	549
HETTICH QUADRO V6	R	WE29.0022.01	549

full extension, soft close L-450



Additional information

Cargo extension diagram:




Complementary components on pg. 48
Installation instructions on pg. 58

Legend:

indicates which side of the cabinet corpus the basket is fixed to



Product characteristics:



Basic Components

1 Base basket 150-600



width	index	colour
150*	WE29.0003.01	001, 003, 062, 549
200*	WE29.0004.01	001, 003, 062, 549
250*	WE29.0125.01	001, 062, 549
300	WE29.0005.01	001, 003, 062, 549
400	WE29.0006.01	001, 003, 062, 549
500	WE29.0007.01	001, 003, 062, 549
600	WE29.0008.01	001, 003, 062, 549

2 Base extension system

extension system / runner	index	colour
REJS FULL	WE29.0014.01	549
full extension, soft close L-450		



extension system / runner	index	colour
REJS FULL	WE29.0128.01	549
for cabinets with hinged doors, full extension, soft close L-450		



extension system / runner	index	colour
REJS PUSH	WE29.0017.01	549
full extension, push-open L-450		



extension system / runner	index	colour
HETTICH QUADRO V6	WE29.0023.01	549
full extension, soft close L-450		



cover plate	index	colour
BLUM TANDEM PLUS	WE29.0026.01	549
runner not included compatible only with runner 560H4500B		




cover plate	index	colour
BLUM TANDEM PLUS	WE29.0154.01	549
runner not included compatible only with runner 560F4500B		



Additional information

Cargo extension diagram:




Complementary components on pg. 48
Installation instructions on pg. 59

Legend:

* compatible only with REJS FULL extension system



Product characteristics:



- maximum load capacity: **20 kg**


- quick **tool-free** basket installation - patented Click system



- compatible with popular **runner brands with various functions**

Basic Components

1 Single base basket 300-600



width	index	colour
300	WE29.0009.01	001, 003, 062, 549
400	WE29.0010.01	001, 003, 062, 549
500	WE29.0011.01	001, 003, 062, 549
600	WE29.0151.01	001, 003, 549

2 Base extension system

extension system / runner	index	colour
REJS FULL	WE29.0014.01	549

full extension, soft close L-450



cover plate	index	colour
BLUM TANDEM PLUS	WE29.0026.01	549

runner not included
compatible only with runner 560H4500B



cover plate	index	colour
BLUM TANDEM PLUS	WE29.0154.01	549

runner not included
compatible only with runner 560F4500B




extension system / runner	index	colour
HETTICH QUADRO V6	WE29.0023.01	549

full extension, soft close L-450



Additional information


Cargo extension diagram:



Installation instructions on pg. 59




Product characteristics:



Basic Components

1 Base basket with removable baskets for cleaning products 300



width	index	colour
300	WE29.0140.01	001, 062, 549

2 Base extension system

extension system / runner	index	colour
REJS FULL	WE29.0128.01	549


for cabinets with hinged doors,
full extension, soft close L-450



Additional information

Cargo extension diagram:


Installation instructions on pg. 60





Basic Components

Slim Box cargo mini 200



left/right	index	colour
nominal length of runner	WE33.0001.43	043, A98
450	WE33.0002.43	043, A98
500		

Complementary components - made to measure dividers

Rectangular railing L-1100



Template for cutting LW-49

index	colour
TH03.0400.01	003, 924

Rectangular railing T connector



index for 1 piece
NOTE: to complete one divider 2 connectors are required!


index	colour
TH03.0398.05	013, 049



Additional information


Cargo extension diagram:

Installation instructions on pg. 61





Product characteristics:



Basic Components

Frame + basket + runner system 150-200

Linia Maxima PURO

NEW



Linia Maxima PURO

NEW



width	fixing side	index	colour
150*	L	WE35.0012.12	C74
150*	R	WE35.0013.12	C74
200*	L	WE35.0014.12	C74
200*	R	WE35.0015.12	C74

width	fixing side	index	colour
150*	L	WE35.0012.06	C75
150*	R	WE35.0013.06	C75
200*	L	WE35.0014.06	C75
200*	R	WE35.0015.06	C75

Linia Maxima SILVA



Linia Maxima EVO




width	fixing side	index	colour
150	L	WE32.0042.43	781
150	R	WE32.0043.43	781
200	L	WE32.0044.43	781
200	R	WE32.0045.43	781

width	fixing side	index	colour
150	L	WE30.0027.08	374
150	R	WE30.0028.08	374
200	L	WE30.0029.08	374
200	R	WE30.0030.08	374

Additional information

Cargo extension diagram:



Complementary components on pg. 48-49
Installation instructions on pg. 62


Legend:

* coming soon

indicates which side of the cabinet corpus the basket is fixed to



Product characteristics:



- 4 types of basket to choose from
- maximum load capacity: **25 kg**
- the **top and bottom mounted frame** provides a firmer structure
- the **adjustable height** of the frame allows for maximum exploitation of the cabinet height
- baskets can be installed at various heights providing more storage flexibility
- optional **dividers for internal organisation** can be installed, preventing the contents from moving around (with the exception of the Puro Line)
- compatible with electrical cabinet door opening system Servo Drive by **blum**
- additional back guards can be installed to divide shelves (EVO i SILVA) and enable various height configurations (SILVA)
- soft-close **REJS** runner



Basic Components

Frame + basket + runner system 300-400

Linia **Maxima PURO**

NEW



Linia **Maxima PURO**

NEW



width	index	colour
300*	WE35.0016.12	C74
400*	WE35.0017.12	C74

width	index	colour
300*	WE35.0016.06	C75
400*	WE35.0017.06	C75

Linia **Maxima SILVA**




width	index	colour
300	WE32.0046.43	781
400	WE32.0047.43	781

width	index	colour
300	WE30.0031.08	374
400	WE30.0032.08	374

Additional information

Cargo extension diagram:




Complementary components on pg. 48-49
Installation instructions on pg. 62

Legend:

* coming soon



Product characteristics:



- five types of baskets to choose from
- maximum load capacity: **25 kg**
- the frame facilitates the **full extension of all baskets** outside of the corner cabinet, which gives easy access to all products
- baskets **can be installed at various heights** providing more storage flexibility
- optional **dividers for internal organisation** can be installed, preventing the contents from moving around (with the exception of the Puro Line)
- installed in corner cabinets with doors on standard and parallel hinges
- soft-close **REJS runner**

Basic Components

Frame + basket + runner system 800-1200

Linia Maxima PURO



width	fixing side	index	colour
800*	L	WE35.0033.12	C74
800*	R	WE35.0034.12	C74
1000*	L	WE35.0035.12	C74
1000*	R	WE35.0036.12	C74
1200*	L	WE35.0037.12	C74
1200*	R	WE35.0038.12	C74

Linia Maxima PURO



width	fixing side	index	colour
800*	L	WE35.0033.06	C75
800*	R	WE35.0034.06	C75
1000*	L	WE35.0035.06	C75
1000*	R	WE35.0036.06	C75
1200*	L	WE35.0037.06	C75
1200*	R	WE35.0038.06	C75

Linia Maxima SILVA



width	fixing side	index	colour
800	L	WE32.0001.43	781
800	R	WE32.0002.43	781
1000	L	WE32.0003.43	781
1000	R	WE32.0004.43	781
1200	L	WE32.0005.43	781
1200	R	WE32.0006.43	781

Linia Maxima EVO



width	fixing side	index	colour
800	L	WE30.0001.08	374
800	R	WE30.0002.08	374
1000	L	WE30.0003.08	374
1000	R	WE30.0004.08	374
1200	L	WE30.0005.08	374
1200	R	WE30.0006.08	374


Linia Maxima Classic



width	fixing side	index	colour
800	L	WE31.0001.01	001, 924
800	R	WE31.0002.01	001, 924
1000	L	WE31.0003.01	001, 924
1000	R	WE31.0004.01	001, 924
1200	L	WE31.0005.01	001, 924
1200	R	WE31.0006.01	001, 924

Additional information

Corner extension diagram



Complementary components on pg. 48-49
Installation instructions on pg. 63


Legend:

* coming soon

indicates which side of the cabinet corpus the basket is fixed to



Product characteristics:



Basic Components

Frame + basket + runner system 900

Linia Maxima SILVA



Linia Maxima EVO



Linia Maxima Classic




width	fixing side	index	colour
900	L	WE32.0007.43	781
900	R	WE32.0008.43	781

width	fixing side	index	colour
900	L	WE30.0007.08	374
900	R	WE30.0008.08	374

width	fixing side	index	colour
900	L	WE31.0007.01	001
900	R	WE31.0008.01	001

Additional information

Corner extension diagram



Complementary components on pg. 48-49
Installation instructions on pg. 64


Legend:

L **R** indicates which side of the cabinet corpus the basket is fixed to

COATING CODE: 001 CHROME 374 CHROME / WHITE 781 CHROME / GRAPHITE



Product characteristics:



Basic Components

Frame + basket + runner system 800-1000


Linia Maxima SILVA



width	fixing side	index	colour
800	L	WE28.2507.43	374, 781
800	R	WE28.2508.43	374, 781
900	L	WE28.2607.43	374, 781
900	R	WE28.2608.43	374, 781
1000	L	WE28.3507.43	374, 781
1000	R	WE28.3508.43	374, 781

Additional information

Corner extension diagram



Installation instructions on pg. 65


Legend:

L **R** indicates which side of the cabinet corpus the basket is fixed to

COATING CODE: 374 CHROME / WHITE 781 CHROME / GRAPHITE



Product characteristics:





Kitchen

Basic Components

Carousel 510-820

Linia Maxima SILVA

Carousel 1/2



Carousel 3/4



type	index	colour
750	WE08.5503.43	374, 781
820	WE08.5504.43	374, 781

type	index	colour
750	WE08.5508.43	374, 781
820	WE08.5505.43	374, 781

Linia Variant

Carousel NOVA 1/2



Carousel NOVA 3/4



Carousel NOVA D




type	index	colour
600	WE08.0101.01	001, 003, 549
690	WE08.0102.01	001, 003, 549
750	WE08.0103.01	001, 003, 549
820	WE08.0104.01	001, 003, 549

type	index	colour
600	WE08.0106.01	001, 003, 062, 549
690	WE08.0107.01	001, 003, 062, 549
750	WE08.0108.01	001, 003, 062, 549
820	WE08.0105.01	001, 003, 062, 549

type	index	colour
510	WE08.0110.01	549
750	WE08.0114.01	549

Additional information

Carousel rotation diagram:

1/2
3/4
D


Installation instructions on pg. 66



Product characteristics:

- five types of baskets to choose from
- maximum load capacity: **20 kg**
- additional shelves can be installed in order to increase the storage capacity
- baskets can be installed at various heights providing more storage flexibility
- optional dividers for internal organisation can be installed, preventing the contents from moving around (with the exception of the Puro Line)
- compatible with electrical cabinet door opening system Servo Drive by **blum**
- soft-close **REJS** runner

Basic Components

Frame + basket + runner system 150-200



Linia Maxima PURO

Linia Maxima PURO

Linia Maxima SILVA

Linia Maxima EVO

Linia Maxima Classic

Kitchen

Linia Maxima PURO

basket type	fixing side	width	number of shelves	index	colour
Side MAXI	L	150	5	WE35.0022.12	C74
Side MAXI	L	150	5	WE35.0022.06	C75
Side MAXI	R	150	5	WE35.0023.12	C74
Side MAXI	R	150	5	WE35.0023.06	C75
Side MAXI	L	200	5	WE35.0024.12	C74
Side MAXI	L	200	5	WE35.0024.06	C75
Side MAXI	R	200	5	WE35.0025.12	C74
Side MAXI	R	200	5	WE35.0025.06	C75

Linia Maxima SILVA

basket type	fixing side	width	number of shelves	index	colour
Side MIDI	L	150	4	WE32.0050.43	781
Side MIDI	R	150	4	WE32.0051.43	781
Side MIDI	L	200	4	WE32.0052.43	781
Side MIDI	R	200	4	WE32.0053.43	781
basket type	fixing side	width	number of shelves	index	colour
Side MAXI	L	150	5	WE32.0009.43	781
Side MAXI	R	150	5	WE32.0010.43	781
Side MAXI	L	200	5	WE32.0011.43	781
Side MAXI	R	200	5	WE32.0012.43	781

Linia Maxima EVO


basket type	fixing side	width	number of shelves	index	colour
Side MIDI	L	150	4	WE30.0038.08	374
Side MIDI	R	150	4	WE30.0039.08	374
Side MIDI	L	200	4	WE30.0040.08	374
Side MIDI	R	200	4	WE30.0041.08	374
basket type	fixing side	width	number of shelves	index	colour
Side MAXI	L	150	5	WE27.5337.08	374
Side MAXI	R	150	5	WE27.5338.08	374
Side MAXI	L	200	5	WE27.5339.08	374
Side MAXI	R	200	5	WE27.5340.08	374

Linia Maxima Classic

basket type	fixing side	width	number of shelves	index	colour
Side MIDI	L	150	4	WE31.0058.01	001
Side MIDI	R	150	4	WE31.0059.01	001
Side MIDI	L	200	4	WE31.0060.01	001
Side MIDI	R	200	4	WE31.0061.01	001
basket type	fixing side	width	number of shelves	index	colour
Side MAXI	L	150	5	WE31.0054.01	001
Side MAXI	R	150	5	WE31.0055.01	001
Side MAXI	L	200	5	WE31.0056.01	001
Side MAXI	R	200	5	WE31.0057.01	001

Additional information

Cargo extension diagram:



Complementary components on pg. 48-49
Installation instructions on pg. 67


Legend:

* coming soon

indicates which side of the cabinet corpus the basket is fixed to



Product characteristics:



- 5 types of baskets to choose from
maximum load capacity: depends upon the chosen runner
(REJS - 100 kg, FULTERER 120 kg, FULTERER rotating runner 100 kg)
- additional shelves can be installed in order to increase the storage capacity
- optional **dividers for internal organisation** can be installed, preventing the contents from moving around (with the exception of the Puro Line)
- additional back guards can be installed to divide shelves (EVO i SILVA) and enable various height configurations (SILVA)
- **frame height regulation** allows for optimal exploitation of the height of the cabinet
- baskets can be installed at various heights providing more storage flexibility
- compatible with electrical cabinet door opening system Servo Drive by *blum*
- compatible with well-known soft-close runners:





Kitchen

Basic Components

1 Frame + basket 300-600 + set for divided fronts**



Linia Maxima PURO							Linia Maxima SILVA						
basket type	height with sys. Rejs, Fulterer	width	number of shelves	index	colour	basket type	height with sys. Rejs, Fulterer	width	number of shelves	index	colour		
MAXI	1700-1900	300*	5	WE35.0028.12	C74	MIDI	1200-1400	300	4	WE32.0027.43	781		
MAXI	1700-1900	300*	5	WE35.0028.06	C75	MIDI	1200-1400	400	4	WE32.0028.43	781		
MAXI	1700-1900	400*	5	WE35.0029.12	C74	MAXI	1700-1900	300	5	WE32.0031.43	781		
MAXI	1700-1900	400*	5	WE35.0029.06	C75	MAXI	1700-1900	400	5	WE32.0032.43	781		
MAXI	1900-2100	300*	6	WE35.0030.12	C74	MAXI	1900-2100	300	6	WE32.0035.43	781		
MAXI	1900-2100	300*	6	WE35.0030.06	C75	MAXI	1900-2100	400	6	WE32.0036.43	781		
MAXI	1900-2100	400*	6	WE35.0031.12	C74								
MAXI	1900-2100	400*	6	WE35.0031.06	C75								

Linia Maxima EVO							Linia Maxima Classic						
basket type	height with sys. Rejs, Fulterer	width	number of shelves	index	colour	basket type	height with sys. Rejs, Fulterer	width	number of shelves	index	colour		
MIDI	1200-1400	300	4	WE27.5701.08	374	MIDI	1200-1400	300	4	WE31.0009.01	001, 549		
MIDI	1200-1400	400	4	WE27.5702.08	374	MIDI	1200-1400	400	4	WE31.0010.01	001, 549		
MAXI	1700-1900	300	5	WE27.5801.08	374	MIDI	1200-1400	500	4	WE31.0011.01	001, 549		
MAXI	1700-1900	400	5	WE27.5802.08	374	MIDI	1200-1400	600	4	WE31.0012.01	001, 549		
MAXI	1900-2100	300	6	WE27.5805.08	374	MAXI	1700-1900	300	5	WE31.0017.01	001, 549		
MAXI	1900-2100	400	6	WE27.5806.08	374	MAXI	1700-1900	400	5	WE31.0018.01	001, 549		

2 Extension system

type / max. load	index	colour	type / max. load	index	colour	type / max. load	index	colour
REJS / 100***	WE28.2803.01	549, 924	FULTERER / 120	WE28.2801.01	549, 924	FULTERER / 100	WE28.2802.01	549, 924
								
ball-bearing runner with soft close, load bearing: 100kg			differential runner with soft-close, load bearing 120 kg			differential rotating runner with soft-close, load bearing: 100 kg		
								

Additional information

Cargo extension diagram:

REJS 100 kg
FULTERER 120 kg



FULTERER rotating runner 100 kg



Complementary components on pg. 48-49
Installation instructions on pg. 68

Legend:

* coming soon

** set for divided fronts is not included with cargo MIDI

*** system is compatible with cargo widths 300 and 400 mm

How to order?

1. Choose the frame and baskets.
2. Select the extension system.
3. Complete with complementary products.

Storage for tall cabinets
Cargo maxi Slim Box



Kitchen



Basic components - recommended configuration



- any configuration, consisting of internal **Slim Box** drawers
- maximum load capacity per drawer **40 kg**
- easy access to contents
- available drawer heights: **H=89, H=121, H=185**
- slim sides **13,4 mm**
- straight sides** internally and externally
- full extension runner with soft-close**
- drawers available in **black, graphite and white**
- a choice of **metal or glass front**
- tool-free front installation
- runners with depths of **300-550 mm**
- internal organizers** can be added keeping it's contents in order

1 Slim Box H=89

information regarding ordering in the *Drawer and runner* section.



2 Slim Box H=121

information regarding ordering in the *Drawer and runner* section.



3 Slim Box H=185

information regarding ordering in the *Drawer and runner* section.




4 Hinges Soft Close

Hinges for doors with a wide opening angle 155°
More information in the *Hinges and lifts* section.



type	index
with mounting plate H=0 with eccentric screw regulation	TJ01.7111.01.064
with mounting plate H=2 with eccentric screw regulation	TJ01.7119.01.064



Complementary components in the *Drawer and runners* section.
Installation instructions on pg. 69

COATING CODE: 064 NIKEL



Systems for overhead cabinets

Dish drainers

Single shelf dish drainer

min. width cabinet corpus	index	colour
400	WE06.4623.01	001, 062
450	WE06.4624.01	001, 062
500	WE06.4625.01	001, 062
600	WE06.4626.01	001, 062
700	WE06.4651.01	001, 062
800	WE06.4627.01	001, 062
900	WE06.4628.01	001, 062



* suitable for cabinet walls of 16/18 mm • lower frame depth adjustment • 72H*

Variant 1 dish drainer

min. width cabinet corpus	index	colour
400	WE06.0823.01	010
450	WE06.0824.01	010
500	WE06.0825.01	010
600	WE06.0826.01	010
700	WE06.0851.01	010
800	WE06.0827.01	010
900	WE06.0828.01	010



* suitable for cabinet walls of 16/18 mm • lower frame depth adjustment and the lower frame is compatible with HDF cabinet backs • 72H*

Variant 3 dish drainer

min. width cabinet corpus	index	colour
400	WE06.1123.01	001, 062
450	WE06.1124.01	001, 062
500	WE06.1125.01	001, 062
600	WE06.1126.01	001, 062
700	WE06.1151.01	001, 062
800	WE06.1127.01	001, 062
900	WE06.1128.01	001, 062



* suitable for cabinet walls of 16/18 mm • lower frame depth adjustment and the lower frame is compatible with HDF cabinet backs • 72H*

Standard 1 dish drainer

min. width cabinet corpus	index	colour
400	WE06.0423.01	010
450	WE06.0424.01	010
500	WE06.0425.01	010
600	WE06.0426.01	010
700	WE06.0451.01	010
800	WE06.0427.01	010
900	WE06.0428.01	010



* suitable for cabinet walls of 16/18 mm • 72H*

Standard 3 dish drainer

min. width cabinet corpus	index	colour
400	WE06.0723.01	001, 062
450	WE06.0724.01	001, 062
500	WE06.0725.01	001, 062
600	WE06.0726.01	001, 062
700	WE06.0751.01	001, 062
800	WE06.0727.01	001, 062
900	WE06.0728.01	001, 062



* suitable for cabinet walls of 16/18 mm • 72H*

Prima dish drainer

min. width cabinet corpus	index	colour
500	TE06.2101.03	012
600	TE06.2102.03	012
700	TE06.2119.03	012
800	TE06.2103.03	012
900	TE06.2104.03	012
1000	TE06.2137.03	012



* suitable for cabinet walls of 16/18 mm • width adjustment approximately 30 mm
* made from stainless steel • 72H*


Complementary components on pg. 49
Installation instructions on pg. 70-71

* tests have been conducted in a salt chamber (test 72hr) no signs of corrosion were identified

COATING CODE: 001 CHROME 010 FLUID WHITE 012 INOX (STAINLESS STEEL) 062 ZINC WHITE




Basic Components



1 Plate rack basket for drawers with front 600-900



width	index	colour
600	WE29.0631.01	001
700	WE29.0632.01	001
800	WE29.0633.01	001
900	WE29.0634.01	001



1 + 2

2 Extension system L-450













extension system	index	colour
REJS FULL	WE29.0635.01	549

extension system	index	colour
HETTICH QUADRO V6	WE29.0023.01	549

cover plate	index	colour
HETTICH QUADRO V6	WE29.0636.01	549

Complementary components

Variant MULTI Line / Maxima Line



Kitchen

Variant MULTI Line complementary products

Shelf			Complete divider			Divider set cut-to measure		
width	index	colour	width	index	colour	components	index	colour
150	WE03.6619.01	001, 003, 062, 549	150	WE03.8661.08	052	rod Ø5 L=1100	WE03.7177.01	001
200	WE03.6719.01	001, 003, 062, 549	200	WE03.8662.08	052	connectors Ø5	2 x WE03.7178.05	061
rod Ø5 + set of connectors						cut to width KB - 90 mm length - 400 mm		

Maxima Line complementary products

Drawers for Corner Comfort 800-1200								
Linia Maxima PURO			Linia Maxima Classic			Linia Maxima EVO		
width	index	colour	width	index	colour	width	index	colour
800	WE35.0045.12	C74*	800	WE31.0027.01	001*	800	WE30.0044.08	374*
800	WE35.0045.06	C75*	1000	WE31.0028.01	001*	1000	WE30.0045.08	374*
1000	WE35.0046.12	C74*	1200	WE31.0029.01	001*	1200	WE30.0037.08	374*
1000	WE35.0046.06	C75*						
1200	WE35.0047.12	C74*						
1200	WE35.0047.06	C75*						

Drawers for side cargo mini / midi / maxi 150-200

Drawers for side cargo mini / midi / maxi 150-200								
Linia Maxima PURO			Linia Maxima Classic			Linia Maxima EVO		
width	index	colour	width	index	colour	width	index	colour
150	WE35.0041.12	C74*	150	WE31.0062.01	001*	150	WE27.5500.01	374*
150	WE35.0041.06	C75*	200	WE31.0063.01	001*	200	WE27.5600.01	374*
200	WE35.0042.12	C74*						
200	WE35.0042.06	C75*						

Drawers for base cargo mini / midi / maxi 300-600

Drawers for base cargo mini / midi / maxi 300-600								
Linia Maxima PURO			Linia Maxima Classic			Linia Maxima EVO		
width	index	colour	width	index	colour	width	index	colour
300	WE35.0043.12	C74*	300	WE31.0013.01	001*, 549*	300	WE30.0013.08	374*
300	WE35.0043.06	C75*	400	WE31.0014.01	001*, 549*	400	WE30.0014.08	374*
400	WE35.0044.12	C74*	500	WE31.0015.01	001*, 549*			
400	WE35.0044.06	C75*	600	WE31.0016.01	001*, 549*			

* products available on order only

COATING CODE: C74 BLACK MATTE/OAK C75 WHITE MATTE/TRANSPARENT 001 CHROME 003 WHITE 052 CHROME / BLACK 061 BLACK 062 ZINC 374 CHROME / WHITE 549 SILVER DS 781 CHROME / GRAPHITE

Complementary components Linia Maxima

Divider set cut-to measure

- side, base cargo mini
- side, base side cargo midi/maxi




cut-to-measure

components	index	colour
rod Ø6 L=1100	WE03.2886.01	001
connectors Ø6	2x WE03.2887.05	061

Back guards for baskets

- base cargo mini
- cargo midi / maxi




Bracket

- cargo midi / maxi



Connector for divided fronts

- cargo midi / maxi



dimensions	index	colour
108 x 12 x 2	WE28.3304.01	549, 924

Electrical opening activator

- side cargo mini / maxi
- base cargo midi / maxi



- base cargo mini



index	colour
WE28.3101.01	549, 924

Complementary products for dish drainers


Tray




width	index	colour
400	TE06.0107.05	013, 081
450	TE06.0105.05	013, 081
500	TE06.0101.05	013, 081
600	TE06.0102.05	013, 081
700	TE06.0119.05	013, 081
800	TE06.0103.05	013, 081
900	TE06.0104.05	013, 081



Wine glass rack



- possible module configurations



type	A x B x C	index	colour
1-row	105 x 334 x 57	WE16.0001.01	001
2-row	215 x 334 x 57	WE16.0002.01	001



RAILING SYSTEM

Railing system

Basic components



Kitchen



1 Hanging dish drainer



index
WE04.0015.01

colour
001, 799

2 Hanging basket for kitchen roll



index
WE04.0007.01

colour
001, 799

3 Hanging basket large double



index
WE04.0018.01

colour
001, 799

4 Hanging basket for spices



index
WE04.0013.01

colour
001, 799

5 Hanging basket corner



index
WE04.0010.01

colour
001, 799

6 Hanging basket small single



index
WE04.0022.01

colour
001, 799

7 Railing hook



index
TE04.0008.01

colour
001
799


8 Set of 3 spice jars



index
WE04.0082.15

colour
081

COATING CODE: 001 CHROME 081 TRANSPARENT 799 BLACK



9 Rail



L	index	colour
1000	WE07.0002.01	001
1000	WE07.0086.01	799
3000	WE07.0003.01	001

10 Corner rail 90°



index	colour
WE07.0010.01	001, 799

11 Rail support bracket straight



index	colour
TE07.0004.14	001, 799

12 Rail end cap straight



index	colour
TE07.0006.14	001, 799

13 Rail support bracket retro



index	colour
TE07.0005.14	001, 799

14 Handle pad retro



index	colour
TE07.0008.14	001
WE07.0001.01	799

15 Rail end cap retro



index	colour
TE07.0007.14	001, 799

16 Rail connector



index	colour
TE07.0010.05	061



A photograph of a kitchen shelf featuring several glass jars filled with various types of pasta, such as farfalle and macaroni. The shelf is illuminated by a series of thin, recessed LED light strips that run along the top edge. The background shows a white tiled wall and a white cabinet door with a floral engraving.

LED PROFILES


LED profiles

Basic components




Kitchen

LUMI surface LED profile




L	index	colour
2000	TG05.0805.07	035, 689, 855
3000	TG05.0806.07	035, 689, 855

LUMI recessed LED profile




L	index	colour
2000	TG05.0807.07	035, 689, 855
3000	TG05.0808.07	035, 689, 855

LUMI corner LED profile



L	index	colour
2000	TG05.0809.07	035, 689, 855
3000	TG05.0810.07	035, 689, 855


LUMI dual direction LED profile



L	index	colour
2000	TG05.0811.07	035
3000	TG05.0812.07	035, 689, 855


COATING CODE: 035 NATURAL C-0 689 BLACK MAT 855 WHITE LACQUER RAL 9003

LUMI Glass mounting system for upper profiles




L	index	colour
2000	TG05.0913.07	035

LUMI Glass mounting system for lower profiles



L	index	colour
2000	TG05.0914.07	035



LUMI Glass mounting system for corner profiles



L	index	colour
2000	TG05.0915.07	035



Runner installation diagram

Side basket 150-250





Extension system	A	B
Rejs FULL	56	97
Hettich	37	78

Side basket for towels 150



Extension system	A	B
Rejs FULL	56	97
Hettich	37	78

Cargo extension diagram:



KB - outer width of the cabinet corpus

LW - inner width of the cabinet corpus


LT - inner depth of the cabinet corpus

LH - inner height of the cabinet corpus



L **R** indicates which side of the cabinet corpus the basket is fixed to

Runner installation diagram**Base basket 150-600**

Rejs FULL
Runner installed to the underbody
of the cabinet




Hettich
Runner installed to the side
of the cabinet





KB	A
150	80
200	128
250	174
300	224
400	324
500	424
600	524

Single base basket 300-600

Rejs FULL
Runner installed to the underbody
of the cabinet



Hettich
Runner installed to the side
of the cabinet





KB	A
300	224
400	324
500	424
600	524

Cargo extension diagram:

extendable front



hinged front



KB - outer width of the cabinet corpus




LW - inner width of the cabinet corpus

LT - inner depth of the cabinet corpus

LH - inner height of the cabinet corpus


Runner installation diagram

Removeable base basket for cleaning products 300



KB	LW
300	264

Components





+



=



Cargo extension diagram:





KB - outer width of the cabinet corpus

LW - inner width of the cabinet corpus



LT - inner depth of the cabinet corpus

LH - inner height of the cabinet corpus

Cabinet measurements







Cargo extension diagram:




NL - nominal runner length

LW - inner width of the cabinet corpus





KB - outer width of the cabinet corpus

Maxima PURO, SILVA, EVO lines mini side cargo cabinet measurements


Cargo extension diagram:

**L****R**indicates which side of the cabinet corpus
the basket is fixed to

cargo type	A
150	min. 114
200	min. 164

Maxima PURO, SILVA, EVO lines mini base cargo cabinet measurements

Cargo extension diagram:




cargo type	A
300	min. 264
400	min. 364

Technical details and installation method


With reinforcing post for standard hinges

Frame installed to the underbody of the corpus




Without reinforcing post for parallel hinges

Frame installed to the underbody of the corpus




meas.	type of corner		
	800	1000	1200
min. A	370 / 410*	445	520
min. B	540	540	540
min. C	664	750	950

meas.	type of corner		
	800	1000	1200
min. A	370 / 410*	445	520
min. B	510	510	510
min. C	664	750	950



drawing depicts the right-hand side Corner Comfort

Corner extension diagram:





* applies to the Maxima EVO Line Corner

maximum load capacity per shelf in kg

the side which the corner is fixed to the cabinet corpus


Technical details and installation method

Frame is installed to the underbody of the corpus



drawing depicts right-hand side Corner Front

Corner extension diagram:




maximum load capacity per shelf in kg
 the side which the corner is fixed to the cabinet corpus

Technical details and installation method


With reinforcing post for standard hinges

Corner Optima 800 / 900




Without reinforcing post for parallel hinges



Corner Optima 800 / 900




Corner Optima 1000



Corner Optima 1000



meas.	type of shelf		
	800	900	1000
A	800	900	1000
B	520	530	530
C	495	550	516
min. D	411	445	560
E	90	100	154




meas.	type of shelf		
	800	900	1000
A	800	900	1000
B	490	500	500
C	514	590	546
min. D	411	445	560
E	100	100	154

Corner extension diagram:

L



R




L

R

the side which the corner is fixed to the cabinet corpus

Cabinet measurements

Carousel 1/2




Carousel rotation diagram:




meas.	type of shelf			
	600*	690*	750	820
A	405	450	480	515
B	305	350	380	415
C	610	700	760	830
Ø	595	685	745	815

*only available in the Variant line

Carousel 3/4




Carousel rotation diagram:




meas.	type of shelf			
	600*	690*	750	820
A	385	430	460	495
B	305	350	380	415
C	615	705	765	835
Ø	595	685	745	815

*only available in the Variant line

Carousel D



Carousel rotation diagram:





meas.	type of shelf	
	510*	750*
A	315	490
B	263	380
C	525	760
Ø	505	745


*only available in the Variant line

Casing Measurements

Runner is fitted to the side of the corpus



Cargo extension diagram:




L **R** indicates which side of the cabinet corpus the basket is fixed to

cargo midi/maxi side	A
150	min. 114
200	min. 164




Cabinet measurements

Kitchen

Runner is fitted to the top and underbody of the corpus



Cargo extension diagram:


REJS 100 kg
FULTERER 120 kgFULTERER
rotation 100 kg

A	REJS 100	FULTERER 120	ROTATION 100
	445	485	495
B	445	485	495
E	min. 505	min. 505	min. 505


basket type	D	REJS 100	FULTERER 120	ROTATION 100
Midi 1200-1400		1200-1400	1280-1480	
Maxi 1700-1900		1700-1900	1760-1960	
Maxi 1900-2100		1900-2100	1960-2160	

cargo midi/maxi	C
300	min. 264
400	min. 364
500	min. 464
600	min. 564


Drilling measurements - front



Positioning in the cabinet




Single shelf dish drainer




type of drainer	A	B	C
400	364 / 368	275÷325	170
450	414 / 418	275÷325	170
500	464 / 468	275÷325	170
600	564 / 568	275÷325	170
700	664 / 668	275÷325	170
800	764 / 768	275÷325	170
900	864 / 868	275÷325	170

Variant 1 dish drainer




type of drainer	A	B
400	364 / 368	275÷325
450	414 / 418	275÷325
500	464 / 468	275÷325
600	564 / 568	275÷325
700	664 / 668	275÷325
800	764 / 768	275÷325
900	864 / 868	275÷325

Variant 3 dish drainer




type of drainer	A	B
400	364 / 368	275÷325
450	414 / 418	275÷325
500	464 / 468	275÷325
600	564 / 568	275÷325
700	664 / 668	275÷325
800	764 / 768	275÷325
900	864 / 868	275÷325

Standard 1 dish drainer





type of drainer	A	B
400	364 / 368	275
450	414 / 418	275
500	464 / 468	275
600	564 / 568	275
700	664 / 668	275
800	764 / 768	275
900	864 / 868	275

Standard 3 dish drainer





type of drainer	A	B
400	364 / 368	275
450	414 / 418	275
500	464 / 468	275
600	564 / 568	275
700	664 / 668	275
800	764 / 768	275
900	864 / 868	275

Prima dish drainer




type of drainer	L min./max.	A	B
500	430 / 480	418	421
600	430 / 480	518	521
700	430 / 480	618	621
800	430 / 480	718	721
900	430 / 480	818	821
1000	430 / 480	918	921

Drawer for plates





width	LW	A
60	564-568	524
70	664-668	624
80	764-768	724
90	864-868	824


Installation position of the runners in the corpus



Example drawer assembly




Hanging dish drainer




A x B x C
445 x 265 x 255

Hanging basket for kitchen roll




A x B x C
250 x 175 x 190

Hanging basket large double




A x B x C
450 x 185 x 335

Hanging basket for spices




A x B x C
210 x 80 x 195


Hanging basket for spices 3




Hanging basket corner




Hanging basket small single




Railing hook




Rail




Corner rail




Rail support bracket straight



Rail support bracket retro



Handle pad retro




Rail end cap straight



Rail end cap retro



Rail connector





WASTE SEGREGATION





Sort it your way

The key to comfort when segregating waste at home is trouble-free and quick access to all baskets at once, as well as being able to adjust the system to fit the users unique lifestyle, habits, and kitchen layout. To this end, Rejs has developed a range of waste segregation systems that will ensure everyone can find something that fits their needs.


Living in harmony with the environment has never been so easy!

Segrego Is a functional and easy-to-use drawer system with incorporated waste bins, which can be fully withdrawn from the cabinet, enabling simple and convenient waste segregation. The **JC** line's integrated extension system and bin rack, enables mounting to cabinets with standard hinged fronts, as well as the option to mount the front directly to the **JC** frame itself (via a separately sold front mounting). The **Variant Multi** line waste system can also, like the JC system, be fitted to cabinets with extending, or traditional hinged fronts. It all depends on which extension system is chosen. The Rejs range of waste segregation systems also includes the lines **Praktiko** and **Sorte**, which fit directly to an existing drawer system. **Praktiko**, consists of a set of waste bins, which fit to a moulded plastic tray which is laid in the draw bottom. Alternatively the Sorte system enables these same bins to be fitted to a metal frame, which mounts to the drawer sides themselves. With each of these systems the frames can be chosen to accommodate the specific needs of the user. These solutions work best where the focus is on functionality.

Most Rejs segregation systems can be fitted with an electrical opening mechanism. Developed by German specialists, the **Hailo Libero 3.0** can be mounted in any drawer. To open it, just move your foot near the sensor located in the bottom panel. Alternatively, we offer the **Servo-Drive Uno** system developed by Blum. This system enables the drawer to be opened by pressing the front with your hand or knee.



Product characteristics:






Waste segregation


Runner Length / Waste bin capacity

Installation Dimensions


FRONT 45-50
NL=480




FRONT 60
NL=400




FRONT 60
NL=480



FRONT 80
NL=480



* applies to height 425



NL - nominal runner length


LW - cabinet internal width

HM - height of the installed system


	FRONT 45	FRONT 50	FRONT 60	FRONT 80
H	320 425	320 425	320 425	320 425
HM	330 440	330 440	330 440	330 440
LW	414-418	464-468	564-568	764-768



Features of JC for cabinet widths 30-40 cm:



Features of JC for cabinet widths 45-60 cm:



Possible to be mounted to cabinets with hinged, or pull-out fronts
(using the front mounting, available to purchase separately)

JC for cabinet widths 30-40

FRONT 30 JC603 H=330/440



FRONT 30 JC604 H=440



JC for cabinet widths 45-60

FRONT 45 JC607 H=345/450



FRONT 45 JC606 H=450



FRONT 40 JC602 H=330/440



FRONT 40 JC601 H=440



FRONT 60 JC609 H=345/450



FRONT 60 JC609 H=605



Front mounting set for JC601, 602, 603, 604

index	colour
WE24.0019.01	062



Front mounting set for JC606, 607, 609

index	colour
WE24.0017.01	549



JC for cabinets 30/40 waste bin capacity and dimensions

FRONT 30




FRONT 30



FRONT 40



FRONT 40



LW - cabinet internal width
HM - height of the installed system

* applies to height 440

	FRONT 30		FRONT 40	
H	low	high	low	high
HM	330	440	330	440
LW	264		350	

JC for cabinets 45-60 waste bin capacity and dimensions

FRONT 45




FRONT 45



FRONT 60



FRONT 60



LW - cabinet internal width
HM - height of the installed system

* applies to height 440

	FRONT 45		FRONT 60		FRONT 60
H	low	high	low	high	high 35l
HM	345	450	345	450	605
LW	414		564		564



Product characteristics:



Variant Multi Line waste system - set components

1 Basket and wastebins

FRONT 30	FRONT 30	FRONT 40	FRONT 40
1 x 20 l + 1 x 9 l	3 x 9 l	2 x 20 l	1 x 20 l + 2 x 9 l
			
index WE29.0129.05	index WE29.0130.05	index WE29.0131.05	index WE29.0132.05
colour 549	colour 549	colour 549	colour 549

2 Runner system (base)

REJS FULL for pull-out fronts

extension system / runner	index	colour
REJS FULL	WE29.0014.01	549
for cabinets with pull-out fronts, full extension, soft close L-450		






REJS FULL for hinged fronts

extension system / runner	index	colour
REJS FULL	WE29.0128.01	549
for cabinets with hinged doors, full extension, soft close L-450		



Variant Multi Line waste system - bin capacities and dimensions




KB - cabinet external width
LW - cabinet internal width
LT - cabinet internal depth
LH - cabinet internal height

KB	LW min.	LT	LH
300	264	460	540
400	364	460	540

COATING CODE: 549 SILVER DS




Product characteristics:






Praktiko: Bin capacity and dimensions



* applies to height 400






Product characteristics:



Waste system Sorte - set components

1 Frame and cover

FRONT 60	SORTE 2 slots	FRONT 80	SORTE 3 slots	FRONT 90	SORTE 3 slots + 1
					
index WE14.2003.01	colour 549, 924	index WE14.2004.01	colour 549, 924	index WE14.2050.01	colour 549, 924

2 Waste bins Praktiko / JC

capacity	index	colour
7 l	TE22.1993.05	007, 049
9 l	TE22.1969.05	007, 049
15 l	TE22.1994.05	007, 049
20 l	TE22.1968.05	007, 049

3 Waste bin handles

to waste bin	index	colour
71/91	TE22.6580.05	007, 044, 046, 047, 089
151/201	TE22.6568.05	007, 044, 046, 047, 089

Caution: for one waste bin 2 pcs are required


4 Mini container

index	colour
TE22.1188.05	007, 049


1 + 2 + 3 = SORTE 60 / 80

1 + 2 + 3 + 4 = SORTE 90

Sorte - configurations of the metal frame



In each slot can be placed one waste bin of 15/20 l or two waste bins 7/9 l



This allows the user to configure the waste system in a way that suits their individual need!



Waste system Aladin, Sesamo, Automat




FRONT 40 ALADIN1

- single • with cover • with full extension ball-bearing runner • plastic handles • loading capacity to 10 kg
- bin capacity 1 x 16 l • system fitted to the underbody of the cabinet



16l




index
TE22.0901.05.000

FRONT 40 ALADIN2

- double • with cover • with full extension ball-bearing runner • plastic handles • loading capacity to 10 kg
- bin capacity 2 x 8 l • system fitted to the underbody of the cabinet



8l
8l




index
TE22.1002.05.000

FRONT 45 SESAMO1

- single • universal (L/R) • plastic handles • loading capacity to 10 kg • bin capacity 1 x 16 l
- system mounted to the side-wall and front of the cabinet • when opening the front extends out of the cabinet and the cover lifts
- possible to mount to 40 cm cabinet* (after removing the distance)



16l





index
TE22.0701.05.000

FRONT
45

SESAMO2

- double • universal (L/R) • plastic handles • loading capacity to 10 kg • bin capacity 2 x 8 l
- system mounted to the side-wall and front of the cabinet • when opening the front extends out of the cabinet and the cover lifts
- possible to mount to 40 cm cabinet* (after removing the distance)





index
TE22.0802.05.000

FRONT
45

AUTOMAT 270/272

- single • universal (L/R) • available colours: white (013), silver (049), white/chrome (051) • loading capacity to 10 kg
- bin capacity 1 x 13 l • system mounted to the side wall and front of the cabinet
- when opening the front of the bin extends out of the cabinet and the cover lifts



type	index	colour
270	TE22.1110.05	013, 049
272	TE22.1111.05	051



To open the drawer simply place your foot in the area of the front sensor.



The **Hailo Livero 3.0** is the latest electric, drawer opening system developed by German Specialists. It does not require a special cabinet, it can be mounted to the bottom of any drawer. Thanks to this system a heavily loaded drawer can be easily opened by moving the foot near the sensor located in the bottom panel. The device can be connect to via wi-fi using a phone or computer. The system has an integrated light, the intensity of which, as well as the speed of the drawer extension, and sensitivity of the sensor, can be adjusted to the needs of the user.



To open the drawer simply press your hand or knee against its front.



Thanks to the **Servo-Drive Uno** from Blum, opening and closing drawers can be accomplished by simply applying pressure to the drawer front using a hand or knee. Using this system helps to keep drawer fronts clean, and at the same time the user benefits from the systems soft closing mechanism.

In order to mount the Servo-Drive Uno, a separate frame is needed. This can be purchased separately.

Hailo Libero 3.0

1 Drive Unit Hailo Libero 3.0




- designed for waste systems Segrego, Sorte, Praktiko
- adjustable drive force, sensor sensitivity, and lighting intensity



index
TR06.5402.08

colour
013

Cabinet mounting



Aerial perspective



The Hailo Libero 3.0 drive system does not require the use of spacers at the front of the cabinet.

Blum Servo Drive Uno

1 Drive Unit Blum Servo Drive Uno

- designed for waste systems Segrego (except for model width 800), Sorte, Praktiko
- when used with the Segrego system the additional mounting frame is needed



index	colour
TH04.0943.05	063






2 Frame for electrical drawer opening Segrego

- essential for mounting the Blum Servo Drive system with Segrego (excluding model with width 800)
- adjustable width and depth



index	colour
WE28.4145.01	549, 924

Cabinet Mounting



Aerial perspective




Universal waste bin for PRAKTIKO and JC systems 7 l / 9 l

- waste bin 7 l / 9 l • lid sold separately • suggested bag capacity: 25 l
- waste bins supplied without handles (handles sold separately)



7 l 9 l




capacity	index	colour
7 l	TE22.1993.05	007, 049
9 l	TE22.1969.05	007, 049

Universal waste bin for PRAKTIKO and JC systems 15 l / 20 l

- waste bin 15 l / 20 l • lid sold separately • suggested bag capacity: 35 l / 60 l
- waste bins supplied without handles (handles sold separately)



15 l 20 l



capacity	index	colour
15 l	TE22.1994.05	007, 049
20 l	TE22.1968.05	007, 049

Handles for waste bins PRAKTIKO and JC 7 l / 9 l and 15 l / 20 l

- plastic handles for PRAKTIKO and JC 7 l / 9 l and 15 l / 20 l waste bins • handles sold individually
- for each waste bin, 2 handles are required



for waste bin	index	colour
7 l / 9 l	TE22.6580.05	007, 044, 046, 047, 089
15 l / 20 l	TE22.6568.05	007, 044, 046, 047, 089

Lids for PRAKTIKO and JC 7 l / 9 l i 15 l / 20 l

- universal waste bin lids for PRAKTIKO and JC 7 l / 9 l oraz 15 l / 20 l



for waste bin	index	colour
7 l / 9 l	TE22.5680.05	007, 049
15 l / 20 l	TE22.5668.05	007, 049

Mini container for PRAKTIKO

- small container with height 110 mm • fits to PRAKTIKO trays or the SORTE 90 frame • suitable for segregating smaller waste items such as food waste or bottle tops • ideally suited for neatly storing small accessories such as bin bags
- using our bracket (sold separately) the mini container can be mounted to the cabinet front



index	colour
TE22.1188.05	007, 049

Mounting bracket for waste bins

- designed for hanging waste bins to cabinet fronts • loading capacity of mounted bins 7 kg
- compatible with the full range of JC / Praktiko bins • quick and easy installation



index	colour
WE14.2149.01	062

Flexible siphon housing


- for use in drawers with a depth of NL = 270 - 650 • designed for drawers with a bottom made of 16 mm board
- compatible with high and low drawers from all manufacturers • made of flexible material, facilitating an easy fit to the drawer



index	colour
TH02.8202.05	007, 013, 049

Distancer for sink hose


- distancer keeps hoses and wires in one place • made of metal • fitted to the side of the cabinet



index	colour
WE28.2301.01	062

Cover - shelf for undersink cabinet

- shelf for small accessories • made of metal • available in silver or graphite colours • mounted to cabinet side



index	colour
WE28.2460.01	549, 924





DRAWER SYSTEMS

and runners





Everything in its own place

From internal wardrobe drawers to large kitchen appliance drawers, REJS drawer systems can be adapted to fit the needs of the user in a variety of spaces and functions.

All products at your fingertips

Unlike traditional shelves, drawer systems make full use of available space, and grant easier access to, amongst other things, tableware, cosmetics, detergents, documents, and clothes – everything stored within easy reach and sight. By utilising internal organisation systems, such as dividers, rails, and inserts (metal, plastic, and wood), order can be maintained even amongst the smallest items. The use of the highest quality soft-close runner systems guarantees smooth movement and discreet closing.

REJS offers several drawer systems that differ in both appearance and function. The Maxima Puro line of internal drawer systems is our newest line. Maxima Puro is made of the highest quality stainless steel, and available in two colours: black with wooden decor and white with glass. The Slim Box and Comfort Box systems, already well known on the market, are available as both drawers with fronts, and internal drawers. They are available in several colours: Slim Box, in white, graphite and the new black finish, and Comfort Box, in white and silver.

Application:

drawer with front



internal drawer

Packaging:

2pcs in a set



bulk packaging 10 sets



bulk packaging 15 sets



bulk packaging 25 sets



bulk packaging 100 sets

Characteristics:**Drawer side-wall height****Available nominal lengths of the runner systems****Load capacity in kg****Height of runner****Type of runner****Type of extension****Additional information**

sheet metal product



wood decor



glas decor



for boards of various thicknesses

Opening/closing options

soft closing



push to open



synchronisation



release option



3 dimensional regulation



tested to 60.000 cycles



material



coating



3D model



DRAWER SYSTEMS



Maxima Puro - internal drawers

Maxima Puro internal drawer H=80



Characteristics



Drawer components

1 Maxima Puro internal drawer

drawer + runner + plugs + front mounting left/right + glass front (included in white drawer set), or wood (included in black drawer set) + anti slip mat


width	nominal length of runner	index	colour
600	480	WE35.0002.01*	A18, 331
800	480	WE35.0003.01*	A18, 331
900	480	WE35.0004.01*	A18, 331

* coming soon


Installation instructions on pg. 135

COATING CODE: A18 BLACK MATT 331 WHITE MATT


Slim Box H=89




Slim Box H=121




Slim Box H=185 / Slim Box - side decor H=185



Slim Box H=249



Slim Box with side railing H=89, 121, 185, 249



Characteristics



Runner system components

1 Slim Box

runner + side + plugs left/right



soft-close

nominal length of runner	Slim Box H=89		nominal length of runner	Slim Box H=121		nominal length of runner	Slim Box H=185		nominal length of runner	Slim Box H=249	
	index	colour		index	colour		index	colour		index	colour
300	TH03.0839.01	003, 924	300	TH03.0838.01	003, 924	300	TH03.0840.01	003, 924	300	TH03.0907.01	003, 924
350	TH03.0814.01	003, 924	350	TH03.0778.01	003, 924	350	TH03.0779.01	003, 924	350	TH03.0908.01	003, 924
400	TH03.0746.01	003, 924	400	TH03.0738.01	003, 924	400	TH03.0742.01	003, 924	400	TH03.0909.01	003, 924
450	TH03.0747.01	003, 689, 924	450	TH03.0739.01	003, 689, 924	450	TH03.0743.01	003, 689, 924	450	TH03.0910.01	003, 924
500	TH03.0748.01	003, 689, 924	500	TH03.0740.01	003, 689, 924	500	TH03.0744.01	003, 689, 924	500	TH03.0911.01	003, 924
550	TH03.0749.01	003, 689, 924	550	TH03.0741.01	003, 689, 924	550	TH03.0745.01	003, 689, 924	550	TH03.0912.01	003, 924

push-open

nominal length of runner	Slim Box H=89		nominal length of runner	Slim Box H=121		nominal length of runner	Slim Box H=185		nominal length of runner	Slim Box H=249	
	index	colour		index	colour		index	colour		index	colour
300	TH03.0913.01	003, 924	300	TH03.0919.01	003, 924	300	TH03.0916.01	003, 924	300	TH03.0907.01	003, 924
350	TH03.0914.01	003, 924	350	TH03.0920.01	003, 924	350	TH03.0917.01	003, 924	350	TH03.0908.01	003, 924
400	TH03.0915.01	003, 924	400	TH03.0921.01	003, 924	400	TH03.0918.01	003, 924	400	TH03.0909.01	003, 924
450	TH03.0750.01	003, 924	450	TH03.0922.01	003, 924	450	TH03.0752.01	003, 924	450	TH03.0910.01	003, 924
500	TH03.0751.01	003, 924	500	TH03.0923.01	003, 924	500	TH03.0753.01	003, 924	500	TH03.0911.01	003, 924

1 Slim Box H=185 with side decor

left/right



nominal length of runner	index	colour
450	TH03.0863.01	003, 924
500	TH03.0864.01	003, 924

2 Slim Box - glass side decor

left/right



nominal length of runner	index	colour
450	TN04.6313.15	007, 081
500	TN04.6314.15	007, 081

Additional components

A Rectangular railing

left/right




nominal length of runner	index	colour
400	TH03.0756.01	003, 924
450	TH03.0757.01	003, 924
500	TH03.0758.01	003, 924
550	TH03.0759.01	003, 924




Drawer systems
Slim Box - internal drawers




Slim Box H=89




Slim Box H=121



Slim Box H=185



Slim Box - side decor H=185



Characteristics



Runner system components

1 Slim Box

runner + side + plugs left/right



soft-close

nominal length of runner	Slim Box H=89			nominal length of runner	Slim Box H=121			nominal length of runner	Slim Box H=185		
	index	colour			index	colour			index	colour	
300	TH03.0839.01	003, 924		300	TH03.0838.01	003, 924		300	TH03.0840.01	003, 924	
350	TH03.0814.01	003, 924		350	TH03.0778.01	003, 924		350	TH03.0779.01	003, 924	
400	TH03.0746.01	003, 924		400	TH03.0738.01	003, 924		400	TH03.0742.01	003, 924	
450	TH03.0747.01	003, 689, 924		450	TH03.0739.01	003, 689, 924		450	TH03.0743.01	003, 689, 924	
500	TH03.0748.01	003, 689, 924		500	TH03.0740.01	003, 689, 924		500	TH03.0744.01	003, 689, 924	
550	TH03.0749.01	003, 689, 924		550	TH03.0741.01	003, 689, 924		550	TH03.0745.01	003, 689, 924	

1 Slim Box H=185 with side decor

left/right



nominal length of runner

index

colour

450

TH03.0863.01

003, 924


500

TH03.0864.01

003, 924

2 Slim Box - glass side decor

left/right



nominal length of runner

index

colour

450

TN04.6313.15

007, 081

500

TN04.6314.15

007, 081

A Components - metal front

B Components - metal front + glass

3 Universal front mounting

front mounting left / right + bottom support + fastening screws



height

index

colour

89

TH03.1003.05

007, 013, 689

121

TH03.1004.05

007, 013, 689

185

TH03.1005.05

007, 013, 689

4A Metal front

L-1100 mm cutting template LW-87



height

index

colour

89

TH03.0562.01

003, 689, 924

4B Front - metal panel

L-1100 mm cutting template LW-87



height

index

colour

89

TH03.0567.01

003, 689, 924

121

5A Reling frontowy

L-1100 mm cutting template LW-55



index

colour

TH03.0566.01

003, 689, 924

5B Front - glass panel



height

h

KB

index

colour

89

44

600

TN04.1408.15

007, 081

121

76

600

TN04.1409.15

007, 081

185

140

600

TN04.1508.15





007, 081

800

600

TN04.1509.15

007, 081

Comfort Box H=86**Comfort Box H=140****Comfort Box H=164****Comfort Box H=204**

Characteristics



Runner system components

1 Comfort Box

runner + sides + plugs + front mounting left/right



soft-close

nominal length of runner	index	colour
270	TH03.0363.01	002, 003
300	TH03.0364.01	002, 003
350	TH03.0365.01	002, 003
400	TH03.0366.01	002, 003
450	TH03.0367.01	002, 003
500	TH03.0368.01	002, 003
550	TH03.0573.01	002, 003

push-open

nominal length of runner	index	colour
300	TH03.0702.01	002, 003
350	TH03.0703.01	002, 003
400	TH03.0704.01	002, 003
450	TH03.0418.01	002, 003
500	TH03.0419.01	002, 003

2 Back fixing

left/right



height	index	colour
86	TH03.0360.01	002, 003
140	TH03.0361.01	002, 003
164	TH03.0362.01	002, 003
204	TH03.0330.01	002, 003

Alternative components (please select the style of railing - round or rectangular)

3 Upper round railing

left/right



nominal length of runner	index	colour
270	TH03.0335.01	002, 003
300	TH03.0336.01	002, 003
350	TH03.0337.01	002, 003
400	TH03.0338.01	002, 003
450	TH03.0339.01	002, 003
500	TH03.0340.01	002, 003
550	TH03.0577.01	002, 003

3 Upper rectangular railing

left/right



nominal length of runner	index	colour
270	TH03.0369.01	002, 003
300	TH03.0370.01	002, 003
350	TH03.0371.01	002, 003
400	TH03.0372.01	002, 003
450	TH03.0373.01	002, 003
500	TH03.0374.01	002, 003
550	TH03.0575.01	002, 003

4 Middle round railing

left/right







nominal length of runner	index	colour
400	TH03.0334.01	002, 003
450	TH03.0242.01	002, 003
500	TH03.0243.01	002, 003

4 Middle rectangular railing

left/right



nominal length of runner	index	colour
400	TH03.0378.01	002, 003
450	TH03.0379.01	002, 003
500	TH03.0380.01	002, 003

Comfort Box H=86**Comfort Box H=140****Comfort Box H=164****Comfort Box H=204**

Characteristics




Runner system components

1 Comfort Box				2 Back mounting			
runner + sides + plugs + front mounting left/right				left/right			
soft-close							
nominal length of runner	index	colour		height	index	colour	
270	TH03.0363.01	002, 003		86	TH03.0360.01	002, 003	
300	TH03.0364.01	002, 003		140	TH03.0361.01	002, 003	
350	TH03.0365.01	002, 003		164	TH03.0362.01	002, 003	
400	TH03.0366.01	002, 003		204	TH03.0330.01	002, 003	
450	TH03.0367.01	002, 003					
500	TH03.0368.01	002, 003					
550	TH03.0573.01	002, 003					
3 Front				L=1100 mm cutting template LW-87 mm			
				index	colour		
				TH03.0353.08	002, 003		


Alternative components (please select the style of railing - round or rectangular)

4 Front fixing				4 Front fixing			
round railing - left/right				rectangular railing - left/right			
height	index	colour		height	index	colour	
86	TH03.0355.05	013, 036		86	TH03.0355.05	013, 036	
140	TH03.0392.05	013, 036		140	TH03.0392.05	013, 036	
164	TH03.0393.05	013, 036		164	TH03.0755.05	013, 036	
204	TH03.0356.05	013, 036		204	TH03.0754.05	013, 036	
5 Front round railing				5 Front rectangular railing			
L=1100 mm cutting template LW-70 mm				L=1100 mm cutting template LW-70 mm			
index	colour			index	colour		
TH03.0354.01	002, 003			TH03.0566.01	002, 003		
6 Handle							
for round railing							
index	colour						
TH03.0357.05	013, 036						
7 Upper round railing				7 Upper rectangular railing			
left/right				left/right			
nominal length of runner	index	colour		nominal length of runner	index	colour	
270	TH03.0335.01	002, 003		270	TH03.0369.01	002, 003	
300	TH03.0336.01	002, 003		300	TH03.0370.01	002, 003	
350	TH03.0337.01	002, 003		350	TH03.0371.01	002, 003	
400	TH03.0338.01	002, 003		400	TH03.0372.01	002, 003	
450	TH03.0339.01	002, 003		450	TH03.0373.01	002, 003	
500	TH03.0340.01	002, 003		500	TH03.0374.01	002, 003	
550	TH03.0577.01	002, 003		550	TH03.0575.01	002, 003	
8 Middle round railing				8 Middle rectangular railing			
left/right				left/right			
nominal length of runner	index	colour		nominal length of runner	index	colour	
400	TH03.0334.01	002, 003		400	TH03.0378.01	002, 003	
450	TH03.0242.01	002, 003		450	TH03.0379.01	002, 003	
500	TH03.0243.01	002, 003		500	TH03.0380.01	002, 003	


Metal Box H=54



Metal Box H=86



Metal Box H=150



Characteristics



without railing 2D
with railing 3D

Runner system components

1 Metal Box

Runner + side + front mounting left/right



Metal Box H=54		
nominal length of runner	index	colour
400	TH03.0053.01	003
450	TH03.0054.01	003
500	TH03.0055.01	003

Metal Box H=86		
nominal length of runner	index	colour
300	TH03.0195.01	003
350	TH03.0057.01	002, 003
400	TH03.0058.01	002, 003
450	TH03.0059.01	002, 003
500	TH03.0060.01	002, 003
550	TH03.0061.01	003

Metal Box H=150		
nominal length of runner	index	colour
300	TH03.0219.01	003
350	TH03.0196.01	003
400	TH03.0049.01	003
450	TH03.0050.01	002, 003
500	TH03.0051.01	002, 003
550	TH03.0220.01	003

Additional components

2 Soft Close damper*

left/right



index	colour
TJ03.9880.05	063

* for damper mounting instructions, please see p. 133 damper
for Metal Box drawers from 350 to 550 mm

3 Metal Box railing

left/right



nominal length of runner	index	colour
400	TH03.0294.01	003
450	TH03.0295.01	003
500	TH03.0296.01	003





INTERNAL ORGANISATION SYSTEMS FOR DRAWERS

Wooden inserts

- for drawers 500 mm deep
- compatible with Slim Box front and Blum Legrabox
- can be used with other drawer systems, e.g. Comfort Box (perfect fit not guaranteed)
- 5 types of inserts designed to store specific products
- sold individually enabling tailored layout
- if the chosen layout necessitates space between inserts we recommend using our anti-slip mat (p.126)



Basic Components

1 Insert for knives and forks



2 Insert for spices



3 Insert for kitchen knives



4 Insert for kitchen parchments



5 Universal insert




Complementary components

a2 Spice jar set



index	colour
WE04.0082.15	081

width	index	colour
200	T001.1309.48	227




1 + **2** + **3** + **4** + **5**

Example configuration of a set of wooden inserts for a drawer with a width of 1100 mm

COATING CODE: 081 TRANSPARENT 227 CLEAR OAK VARNISH

Examples of possible layouts
with various drawer widths:








Metal frames

- for Slim Box drawers with depths 450, 500 and 550 mm
- available in 3 widths and 3 lengths
- sold individually enabling tailored configuration
- one divider included, possible to add more dividers
- can accommodate our metal containers (p. 124)
- we recommend using a non-slip mat (p. 126)
- can be used in high drawers with the use of the height booster (p. 128)




Basic Components

1 Frame 88 mm




NL	index	colour
450	TH03.0800.01	003, 689, 924
500	TH03.0801.01	003, 689, 924
550	TH03.0802.01	003, 689, 924

2 Frame 176 mm



NL	index	colour
450	TH03.0803.01	003, 689, 924
500	TH03.0804.01	003, 689, 924
550	TH03.0805.01	003, 689, 924

3 Frame 264 mm



NL	index	colour
450	TH03.0806.01	003, 689, 924
500	TH03.0807.01	003, 689, 924
550	TH03.0808.01	003, 689, 924


Complementary components

a1 Divider for frame 88 mm




width	index	colour
88	TH03.0788.01	003, 689, 924

a2 Divider for frame 176 mm




width	index	colour
176	TH03.0789.01	003, 689, 924

a3 Divider for frame 264 mm



width	index	colour
264	TH03.0790.01	003, 689, 924



1 + **2** + **3**

Example configuration of a set of metal frames and dividers
Internal dimensions of the frame

(i) Instructions for completing frame sets:

- determine the width of the cabinet (KB) and the depth of the drawer (NL)
- any combination of complete frames is possible
- the frame combinations shown below are examples






1 Frame 88 mm

2 Frame 176 mm

3 Frame 264 mm



Basic Components

Width of cabinet (KB) do 300 mm	Width of cabinet (KB) do 400 mm	Width of cabinet (KB) do 500 mm																																																															
 2	 2 + 1	 3 + 1																																																															
<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0805.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0803.01	003, 689, 924	500	1x TH03.0804.01	003, 689, 924	550	1x TH03.0805.01	003, 689, 924	<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0800.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0801.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0802.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0805.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0800.01	003, 689, 924		1x TH03.0803.01	003, 689, 924	500	1x TH03.0801.01	003, 689, 924		1x TH03.0804.01	003, 689, 924	550	1x TH03.0802.01	003, 689, 924		1x TH03.0805.01	003, 689, 924	<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0800.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0801.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0802.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0800.01	003, 689, 924		1x TH03.0806.01	003, 689, 924	500	1x TH03.0801.01	003, 689, 924		1x TH03.0807.01	003, 689, 924	550	1x TH03.0802.01	003, 689, 924		1x TH03.0808.01	003, 689, 924									
NL	index	colour																																																															
450	1x TH03.0803.01	003, 689, 924																																																															
500	1x TH03.0804.01	003, 689, 924																																																															
550	1x TH03.0805.01	003, 689, 924																																																															
NL	index	colour																																																															
450	1x TH03.0800.01	003, 689, 924																																																															
	1x TH03.0803.01	003, 689, 924																																																															
500	1x TH03.0801.01	003, 689, 924																																																															
	1x TH03.0804.01	003, 689, 924																																																															
550	1x TH03.0802.01	003, 689, 924																																																															
	1x TH03.0805.01	003, 689, 924																																																															
NL	index	colour																																																															
450	1x TH03.0800.01	003, 689, 924																																																															
	1x TH03.0806.01	003, 689, 924																																																															
500	1x TH03.0801.01	003, 689, 924																																																															
	1x TH03.0807.01	003, 689, 924																																																															
550	1x TH03.0802.01	003, 689, 924																																																															
	1x TH03.0808.01	003, 689, 924																																																															
Width of cabinet (KB) do 600 mm	Width of cabinet (KB) do 700 mm	Width of cabinet (KB) do 800 mm																																																															
 3 + 2	 2 + 3 + 2	 3 + 3 + 2																																																															
<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0805.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0803.01	003, 689, 924		1x TH03.0806.01	003, 689, 924	500	1x TH03.0804.01	003, 689, 924		1x TH03.0807.01	003, 689, 924	550	1x TH03.0805.01	003, 689, 924		1x TH03.0808.01	003, 689, 924	<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>2x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>2x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>2x TH03.0805.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	2x TH03.0803.01	003, 689, 924		1x TH03.0806.01	003, 689, 924	500	2x TH03.0804.01	003, 689, 924		1x TH03.0807.01	003, 689, 924	550	2x TH03.0805.01	003, 689, 924		1x TH03.0808.01	003, 689, 924	<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0805.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0803.01	003, 689, 924		2x TH03.0806.01	003, 689, 924	500	1x TH03.0804.01	003, 689, 924		2x TH03.0807.01	003, 689, 924	550	1x TH03.0805.01	003, 689, 924		2x TH03.0808.01	003, 689, 924
NL	index	colour																																																															
450	1x TH03.0803.01	003, 689, 924																																																															
	1x TH03.0806.01	003, 689, 924																																																															
500	1x TH03.0804.01	003, 689, 924																																																															
	1x TH03.0807.01	003, 689, 924																																																															
550	1x TH03.0805.01	003, 689, 924																																																															
	1x TH03.0808.01	003, 689, 924																																																															
NL	index	colour																																																															
450	2x TH03.0803.01	003, 689, 924																																																															
	1x TH03.0806.01	003, 689, 924																																																															
500	2x TH03.0804.01	003, 689, 924																																																															
	1x TH03.0807.01	003, 689, 924																																																															
550	2x TH03.0805.01	003, 689, 924																																																															
	1x TH03.0808.01	003, 689, 924																																																															
NL	index	colour																																																															
450	1x TH03.0803.01	003, 689, 924																																																															
	2x TH03.0806.01	003, 689, 924																																																															
500	1x TH03.0804.01	003, 689, 924																																																															
	2x TH03.0807.01	003, 689, 924																																																															
550	1x TH03.0805.01	003, 689, 924																																																															
	2x TH03.0808.01	003, 689, 924																																																															
Width of cabinet (KB) do 900 mm	Width of cabinet (KB) do 1000 mm																																																																
 1 + 3 + 3 + 2	 3 + 3 + 2 + 2	 <p>NL - Nominal length of runner KB - External cabinet width</p>																																																															
<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0800.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0801.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0802.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0805.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0800.01	003, 689, 924		1x TH03.0803.01	003, 689, 924		2x TH03.0806.01	003, 689, 924	500	1x TH03.0801.01	003, 689, 924		1x TH03.0804.01	003, 689, 924		2x TH03.0807.01	003, 689, 924	550	1x TH03.0802.01	003, 689, 924		1x TH03.0805.01	003, 689, 924		2x TH03.0808.01	003, 689, 924	<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>2x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>2x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>2x TH03.0805.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	2x TH03.0803.01	003, 689, 924		2x TH03.0806.01	003, 689, 924	500	2x TH03.0804.01	003, 689, 924		2x TH03.0807.01	003, 689, 924	550	2x TH03.0805.01	003, 689, 924		2x TH03.0808.01	003, 689, 924	<p>COATING CODE: 003 WHITE 689 BLACK 924 GRAPHITE</p> <p>www.rejs.eu</p>												
NL	index	colour																																																															
450	1x TH03.0800.01	003, 689, 924																																																															
	1x TH03.0803.01	003, 689, 924																																																															
	2x TH03.0806.01	003, 689, 924																																																															
500	1x TH03.0801.01	003, 689, 924																																																															
	1x TH03.0804.01	003, 689, 924																																																															
	2x TH03.0807.01	003, 689, 924																																																															
550	1x TH03.0802.01	003, 689, 924																																																															
	1x TH03.0805.01	003, 689, 924																																																															
	2x TH03.0808.01	003, 689, 924																																																															
NL	index	colour																																																															
450	2x TH03.0803.01	003, 689, 924																																																															
	2x TH03.0806.01	003, 689, 924																																																															
500	2x TH03.0804.01	003, 689, 924																																																															
	2x TH03.0807.01	003, 689, 924																																																															
550	2x TH03.0805.01	003, 689, 924																																																															
	2x TH03.0808.01	003, 689, 924																																																															





Metal containers for frames

- containers intended for use in the metal frame system of Slim Boxes
- made of INOX steel
- height: 58 mm
- available in 3 lengths: 88, 176 and 264 mm
- sold individually
- enabling tailored configuration
- the dimensions given in the tables can be used as a guide



Basic Components

A	Container 88 mm	B	Container 176 mm	C	Container 264 mm
w x d x h	index	colour	w x d x h	index	colour
88 x 88 x 58	TH03.0797.08	A62	88 x 176 x 58	TH03.0798.08	A62
w x d x h	index	colour	w x d x h	index	colour
88 x 264 x 58	TH03.0799.08	A62			

Complementary components

1	Frame 88 mm	2	Frame 176 mm	3	Frame 264 mm
A + C	B + C + C	4 x C			
NL index colour	NL index colour	NL index colour			
450 1x TH03.0797.08 A62	450 1x TH03.0798.08 A62	450 4x TH03.0799.08 A62			
1x TH03.0799.08 A62	2x TH03.0799.08 A62				

1	Frame 88 mm	2	Frame 176 mm	3	Frame 264 mm
B + C	B + B + C + C	5 x C			
NL index colour	NL index colour	NL index colour			
500 1x TH03.0798.08 A62	500 2x TH03.0798.08 A62	500 5x TH03.0799.08 A62			
1x TH03.0799.08 A62	2x TH03.0799.08 A62				

1	Frame 88 mm	2	Frame 176 mm	3	Frame 264 mm
A + B + B	B + B + C + C	5 x C			
NL index colour	NL index colour	NL index colour			
550 1x TH03.0797.08 A62	550 2x TH03.0798.08 A62	550 5x TH03.0799.08 A62			
2x TH03.0798.08 A62	2x TH03.0799.08 A62				

COATING CODE: A62 SILVER INOX






Anti-slip mat



- available in 4 colors
- prevents the dishes from shifting when opening and closing drawers
- facilitates cleaning
- protects the drawer against dirt and scratching
- quietens the sound of items being placed in the draw
- can be cut to size
- improves the interior aesthetics of the drawer



dimensions	index	colour
5000 x 474	TE13.1201.05	007, 013, 036, 061
5000 x 524	TE13.1202.05	007, 013, 036, 061

COATING CODE: 007 GRAPHITE 013 WHITE 036 METALIC 061 BLACK

UNI and PRO - drawer inserts

- silver and white inserts
- made of smooth, glossy plastic
- for drawers on 450 mm and 500 mm runners
- for drawers 300-900 mm wide
- can be individually cut to size



Drawer insert UNI
















for drawers with 450 mm runners

outside width of cabinet	index	colour
300	TE13.2501.05	013, 036
400	TE13.2502.05	013, 036
450	TE13.2515.05	013, 036
500	TE13.2503.05	013, 036
600	TE13.2504.05	013, 036
700	TE13.2558.05	013, 036
800	TE13.2505.05	013, 036
900	TE13.2506.05	013, 036

Drawer insert PRO

for drawers with 500 mm runners

outside width of cabinet	index	colour
300	TE13.2664.05	013, 036
400	TE13.2665.05	013, 036
500	TE13.2666.05	013, 036
600	TE13.2667.05	013, 036
700	TE13.2671.05	013, 036
800	TE13.2668.05	013, 036
900	TE13.2669.05	013, 036



Internal organisation components

1 Metal frames

set
Information about how to complete this product on p.121



dimensions	NL	index	colour
88	450	TH03.0800.01	003, 689, 924
	500	TH03.0801.01	003, 689, 924
	550	TH03.0802.01	003, 689, 924
176	450	TH03.0803.01	003, 689, 924
	500	TH03.0804.01	003, 689, 924
	550	TH03.0805.01	003, 689, 924
264	450	TH03.0806.01	003, 689, 924
	500	TH03.0807.01	003, 689, 924
	550	TH03.0808.01	003, 689, 924

2 Divider for metal frames

pcs
Information relating to this product on p.120



dimensions	index	colour
88	TH03.0788.01	003, 689, 924
176	TH03.0789.01	003, 689, 924
264	TH03.0790.01	003, 689, 924

3 Metal container

pcs
Information relating to this product on p.124



dimensions	index	colour
88	TH03.0797.08	A62
176	TH03.0798.08	A62
264	TH03.0799.08	A62

4 Booster for metal frames

2 pcs / set
frame 88 - 1 set, frame 176 and 264 - 2 sets



index	colour
WE33.0003.01	003, 924

5 Rectangular railing T connector

pcs



index	colour
TH03.0398.05	013, 049

6 Rectangular railing cross connector

pcs



index	colour
TH03.0399.05	013, 049, 689

7 Rectangular railing L-1100

Template for cutting LW - 60 mm (for width)
NL - 35 mm (for length)



index	colour
TH03.0400.01	003, 689, 924

8 End cap for rectangular railing

pcs



index	colour
TH03.0401.05	013, 049, 689

9 Rectangular railing connector II

pcs



index	colour
TH03.0842.05	007, 013, 689

10 Metal divider

pcs



index	colour
TH03.0761.01	003, 924

11 Plastic divider

pcs











index	colour
TH03.0760.05	013, 036

12 Plate holder

pcs





index	colour
TH03.0387.02	012

Components for drawers H=89**Components for drawers H=121, 185, 249****Components for drawers H=121, 185, 249****Components for drawers H=185, 249****Components for drawers with railing H=89, 121, 185, 249****Components for drawers with glass sides H=185**

NL - Nominal runner length

LW - Internal cabinet width







KB - External cabinet width



Internal organisation components

1	Round railing T connector		12	Cross panel L-1100	
pcs			Template for cutting KB-137 mm		
index	TH03.0394.05	colour	013, 049	index	TH03.0407.01
002, 003		colour	002, 003		
2	Round railing cross connector		13	End cap for cross panel	
pcs			Perforated panel left/right		
index	TH03.0395.05	colour	013, 049	index	TH03.0408.05
002, 003		colour	013, 049		
3	Round railing L-1100		14	Perforated side panel H=164	
Template for cutting LW - 60 mm (for width) NL - 35 mm (for length)			length	index	colour
index	TH03.0354.01	colour	400	TH03.0404.01	002, 003
002, 003			450	TH03.0405.01	002, 003
			500	TH03.0406.01	002, 003
4	End cap for round railing		15	Perforated side panel H=204	
pcs			length	index	colour
index	TH03.0397.05	colour	300	TH03.0382.01	002, 003
013, 049			350	TH03.0383.01	002, 003
			400	TH03.0384.01	002, 003
5	Cross panel divider (round railing)				
pcs			450	TH03.0321.01	002, 003
index	TH03.0325.01	colour	500	TH03.0322.01	002, 003
002, 003			550	TH03.0579.01	002, 003
6	Rectangular railing T connector		16	Clip for glass side panel	
pcs			H=204 left/right, front/back		
index	TH03.0398.05	colour	index	colour	
013, 049			TH03.0410.05	013, 049	
7	Rectangular railing cross connector		17	Glass side panel H=204	
pcs			length	index	colour
index	TH03.0399.05	colour	500	TN04.1707.15	081
013, 049					
8	Rectangular railing L-1100		18	End cap for cross panel	
Template for cutting LW - 60 mm (for width) NL - 35 mm (for length)			Glass panel left/right		
index	TH03.0400.01	colour	index	colour	
002, 003			TH03.0409.05	013, 049	
9	End cap for rectangular railing		19	Plate holder	
pcs			index	colour	
index	TH03.0401.05	colour	TH03.0387.02	012	
013, 049					
10	Plastic divider (rectangular railing)				
pcs					
index	TH03.0760.05	colour			
013, 036					
11	Metal divider (rectangular railing)				
pcs					
index	TH03.0761.01	colour			
002, 003					



COATING CODE: 002 SILVER 003 WHITE 012 STAINLESS STEEL 013 WHITE 036 METALIC 049 SILVER

Components for drawers H=140, H=164, H=204

Components for drawers H=140

Components for drawers H=204


NL - Nominal runner length

LW - Internal cabinet width

KB - External cabinet width



Stabiliser for Comfort Box

- compatible with the Comfort Box runner system with soft close and push-open
- side stabilisation for drawers up to 1000 mm

1 Comfort Box stabiliser


railing

Length of railing	index	colour
1000	TH03.0429.07	012


2 Comfort Box stabiliser

Mounting set

Length of railing	index	colour
450	TH03.0427.08	130
500	TH03.0428.08	130



Casing Measurements




NL - Nominal runner length

LW - Internal cabinet width

LT - Casing Depth

L1 - Casing height



Drawers with front

1. LT = NL + 60 mm
2. L1 = 135 mm


Internal drawers

1. LT = NL + 69 mm
2. L1 = 135 mm


Guide for cut-to-size railing LW-56 mm

Casing Measurements


1.



2.




3.



Silicone Bumper „X”



- self-adhesive
- cushions and dampens closing
- transparent colour
- 1 sheet = 50 pcs.



dimensions	index	colour
7 x 1,5	TH02.5331.05	081
10 x 1,5	TH02.5333.05	081

Soft-close damper




- Left and right included in the set
- Soft close damper instalation instructions for ball-bearing and roller runners, and metal boxes


index	colour
TJ03.9880.05	063

Installation information


Soft-close damper installation for ball-bearing runners (A=12,7 mm)




Soft-close damper installation for ball-bearing runners (A=12,7 mm)




Soft-close damper installation for roller runners



Soft-close damper installation for Metal Boxes



Assembly template set for Comfort Box / Slim Box / Comfort Slide 3D



- large, medium and small template included
- universal - adapted to the Slim Box drawer systems ($H = 89, 121, 185$ mm), Comfort Box ($H = 86, 140, 164, 204$ mm) and Comfort Slide 3D runner system
- large template to aid installation of Slim Box, Comfort Box, Comfort Slide 3D 40 kg runner systems
- medium template to aid assembly of Comfort Box and Slim Box systems ($H = 284$ mm and $H = 355$ mm)
- small template to aid assembly of Comfort Box and Slim Box systems ($H = 140$ mm)

index	colour
WH02.2511.01	934



Flexible siphon housing







- for use in drawers with a depth of $NL = 270 - 650$
- designed for drawers with a bottom made of 16 mm board
- compatible with high and low drawers from all manufacturers
- made of flexible material, facilitating an easy fit to the drawercan be cut-to-size and adapted for various types of back fixing
- 3 colours to choose from: white, silver and graphite
- additional product information can be found in the *Bathroom* section of the catalogue

index	colour
TH02.8202.05	007, 013, 049


Casing Measurements




Casing measurements / front and rear wall installation



Mounting position of the runner to the cabinet




Base and rear wall measurements for 16 mm boards




H	Rear wall height	Rear wall width
89	h=59 mm	LW-42 mm
121	h=91 mm	Length of drawer bottom
185	h=155 mm	L=NL-20 mm
249	h=219 mm	Width of drawer bottom

Cut-to-size front for internal drawers







Casing Measurements




NL - Nominal runner length
 LW - Internal cabinet width
 KB - External cabinet width
 HR - Suspension height of individual railing
 A - Drawer base size
 B - Drawer rear wall size


Casing measurements / front and rear wall installation

H=86**H=140****H=164****H=204**

Mounting position of the runner to the cabinet




Base and rear wall measurements for 16 mm boards




H	Rear wall height	Rear wall width
86	h=70 mm	LW-89 mm
140	h=124 mm	Length of drawer bottom
164	h=148 mm	Width of drawer bottom
204	h=188 mm	LW-75 mm

Cut-to-size front for internal drawers




Casing Measurements

Drawer with front




H	h
86	110 mm
140	165 mm
164	185 mm
204	225 mm

NL - Nominal runner length
LW - Internal cabinet width
KB - External cabinet width
A - Drawer base size
B - Drawer rear wall size





Casing Measurements / front and rear wall installation

H=54

Front

Rear wall



Mounting position of the runner to the cabinet

**H=86**

Front


Rear wall

Base and rear wall measurements for 16 mm boards



H	Rear wall height	Rear wall width
86	h=54 mm - X mm	LW-31 mm
140	h=86 mm - X mm	Length of drawer bottom
164	h=150 mm - X mm	L=NL-2 mm

Width of drawer bottom
LW-31 mm

H=150

Front

Rear wall

NL - Nominal runner length

LW - Internal cabinet width

KB - External cabinet width


AV - Runners extention loss

A - Drawer base size


B - Drawer rear wall size

X - Drawer bottom thickness

Casing Measurements



H	h
54	78 mm
86	110 mm
150	174 mm





RUNNER SYSTEMS

Roller Runner Basic



Application



Packing

Characteristics



Runner system components

1 Roller runner Basic

Left / right runner

nominal length of runner	index	colour
250	TH03.1032.01	003
300	TH03.1033.01	003
350	TH03.1034.01	003
400	TH03.1035.01	003
450	TH03.1036.01	003
500	TH03.1037.01	003
550	TH03.1038.01	003
600	TH03.1039.01	003

Additional components

2 Soft close damper*

left/right

index	colour
TJ03.9880.05	063

* Damper assembly instructions p. 133
damper for Metal Box drawers from 350 to 550 mm

3 Reling Metal Box

left/right

nominal length of runner	index	colour
400	TH03.0294.01	003
450	TH03.0295.01	003
500	TH03.0296.01	003

Ball bearing runner H17



Application



Packing



Characteristics



Additional information







Runner system components

Ball bearing runner H17

nominal length of runner	index	colour
182	TH03.0096.01	062
214	TH03.0097.01	062
246	TH03.0098.01	062
278	TH03.0099.01	062
310	TH03.0100.01	062
342	TH03.0101.01	062

Runner extension length and loss

nominal length of runner	AV	BV
182	76	106
214	76	138
246	76	167
278	75	202
310	100	210
342	100	245



NL - Nominal runner length
AV - Runners extention loss
BV - Actual extension lenght

**Ball bearing runner H45
without soft-close**



Application



Packing



Characteristics



Additional information

Runner system components

Ball bearing runner H45 without soft-close

runner left / right

nominal length of runner	index	colour
250	TH03.0994.01	062
300	TH03.0995.01	062
350	TH03.0996.01	062
400	TH03.0997.01	062
450	TH03.0998.01	062
500	TH03.0999.01	062
550	TH03.1000.01	062
600	TH03.1001.01	062
650	TH03.1006.01	062
700	TH03.1007.01	062

**Solid Slide
ball-bearing runner H45
with soft close**




Application



Packing



Characteristics



Additional information



Runner system components

Solid Slide ball-bearing runner H45 with soft close

runner left / right

nominal length of runner	index	colour
250	TH03.0978.01	062
300	TH03.0979.01	062
350	TH03.0980.01	062
400	TH03.0981.01	062
450	TH03.0982.01	062
500	TH03.0983.01	062
550	TH03.0984.01	062
600	TH03.0985.01	062

**Ball bearing runner H45
push open**



Application



Packing



Characteristics



Additional information

Runner system components

Ball bearing runner H45 push open

runner left / right

nominal length of runner	index	colour
300	TH03.0987.01	062
350	TH03.0988.01	062
400	TH03.0989.01	062
450	TH03.0990.01	062
500	TH03.0991.01	062

**Comfort Slide 3D
with soft close 30 kg**




Application



Packing



Characteristics



Additional information




Runner system components

1 Comfort Slide 3D full extension with soft close



runner + 3D clips left / right

nominal length of runner	index	colour
300	TH03.1026.01	062
350	TH03.1027.01	062
400	TH03.1028.01	062
450	TH03.1029.01	062
500	TH03.1030.01	062
550	TH03.1031.01	062




**Comfort Slide Plus 3D
with soft-close 40 kg
with synchronised extension**

**Application****Packing****Characteristics****1****Comfort Slide - full extension + soft close**

runner + 3D clips left / right



nominal length of runner	index	colour
300	TH03.0652.01	062
350	TH03.0647.01	062
400	TH03.0648.01	062
450	TH03.0649.01	062
500	TH03.0650.01	062
550	TH03.0651.01	062

Runner system components

Comfort Slide Plus 3D
push open 40 kg
with synchronised extension




Application



Packing



Characteristics



Additional information




Runner system components

1 Comfort slide - full extension + push-open


runner + 3D clips left / right




nominal length of runner	index	colour
300	TH03.0762.01	062
350	TH03.0763.01	062
400	TH03.0764.01	062
450	TH03.0765.01	062
500	TH03.0766.01	062
550	TH03.0767.01	062




Casing Measurements




Mounting position of the runner to the cabinet



Base measurements



Length of drawer bottom
L=NL
Width of drawer bottom
LW-25 mm




NL - Nominal runner length

LW - Internal cabinet width




KB - External cabinet width

A - Drawer base size

Casing Measurements



Mounting position of the runner to the cabinet




NL - Nominal runner length

LW - Internal cabinet width


















SKW - Internal drawer width

SKL - Drawer length

Casing Measurements



Mounting position of the runner to the cabinet




NL - Nominal runner length




LW - Internal cabinet width

SKW - Internal drawer width

Casing Measurements



Mounting position of the runner to the cabinet




NL - Nominal runner length

LW - Internal cabinet width


SKW - Internal drawer width

Casing Measurements





Casing Measurements


Drawer side



Mounting position of the runner to the cabinet

LT=NL+X+5
SKL=NL-10+X

Drawer underside




NL - Nominal runner length

LW - Internal cabinet width


SKW - Internal drawer width

SKL - Drawer length


Regulation in 3 dimensions








Height regulation 0~+3 mm



Side regulation ± 1,5 mm



Depth regulation 0~+3 mm


Casing Measurements**Casing Measurements****Mounting position of the runner to the cabinet**

NL - Nominal runner length



LW - Internal cabinet width

SKW - Internal drawer width

SKL - Drawer length


Regulation in 3 dimensions

Height regulation 0~+3 mm


Side regulation $\pm 1,5$ mm

Depth regulation 0~+3 mm

Casing Measurements




Mounting position of the runner to the cabinet




Casing Measurements


Drawer side



Drawer back




Drawer underside




Regulation in 3 dimensions


Height regulation 0~+3 mm



Side regulation ± 1,5 mm




Depth regulation 0~+3 mm



NL - Nominal runner length
LW - Internal cabinet width
SKW - Internal drawer width
SKL - Drawer length





THE DRESSING ROOM





Solutions made-to-measure

Create the wardrobe of your dreams thanks to the wide range of accessories from REJS. Functional drawer systems for underwear, pull out shelves for boots, hanger systems for dresses, jackets, and trousers – all help to keep things neat and tidy for longer. REJS solutions allow for the personalisation of interiors to meet specific needs of the user. The selection includes a wide range of drawers in various dimensions, as well as the organisation systems needed to complete them. The offer also contains a selection of hanger systems, poles, and attachments to complete the wardrobe.

Elegance in black or white

New - The **Maxima Puro** line consists of drawers made of the highest quality steel, available in two colours - elegant black, which is complemented by a wooden decor and timeless white with glass. Robust runner systems with a loading capacity of 40 kg ensures reliable operation for years. REJS organisational systems can be used to help facilitate the neat storage of clothes, shoes, and other small items in these drawers. Elegant organisers for jewelry and accessories, are available in two colours: cream synthetic leather with black velvet and black synthetic leather with a copper finish.

Universal lightness

The **Variant Multi** line includes lightweight wire racks and baskets combined with a dedicated REJS driving system offering a maximum load capacity of 35 kg. This line includes storage solutions for underwear, shoes, and trousers. The products are available in white or black.



Minimalism and simplicity

Simpla are simple, openwork baskets made of wire, complemented by a choice of two runner systems: roller or ball bearing. Their design facilitates air circulation in the wardrobe. Available in white and silver.



Internal drawer with decor H=80 NL=480

NEW



width	index	colour
600	WE35.0002.01*	A18, 331
800	WE35.0003.01*	A18, 331
900	WE35.0004.01*	A18, 331


* coming soon

COATING CODE: A18 BLACK MAT 331 WHITE MAT



Shoe Rack

NEW



width	index	colour
600	WE35.0006.01*	A18, 331
800	WE35.0007.01*	A18, 331
900	WE35.0008.01*	A18, 331



* coming soon

COATING CODE: A18 BLACK MAT 331 WHITE MAT



Internal Drawer H=50 NL=480

NEW



width	index	colour
600	WE35.0009.01*	A18, 331
800	WE35.0010.01*	A18, 331
900	WE35.0011.01*	A18, 331

* coming soon

COATING CODE: A18 BLACK MAT 331 WHITE MAT



Wardrobe inserts

- compatible with REJS Puro and Slim Box drawer systems, as well as the Blum Legrabox
- 6 models with various applications to choose from, available in widths: 100, 200 and 520 mm
- available in two colour options
 - creamy synthetic leather combined with black velvet
 - black synthetic leather combined with copper velvet
- sold individually
- for self-completion



Basic Components

A1 Insert A1 large for jewelry



width	index	colour
520	TE36.9000.46*	BN4, BN5

A2 Insert A2 large for accessories



width	index	colour
520	TE36.9001.46*	BN4, BN5

B1 Insert B1 medium for watches and bracelets



width	index	colour
200	TE36.9002.46*	BN4, BN5

B2 Insert B2 medium for accessories



width	index	colour
200	TE36.9003.46*	BN4, BN5

B3 Insert B3 medium for jewelry




width	index	colour
200	TE36.9004.46*	BN4, BN5

C Insert C small for accessories



width	index	colour
100	TE36.9005.46*	BN4, BN5




A1 + C + B3 + B1 + B2 + A2


* coming soon

COATING CODE: BN4 BLACK/ORANGE BN5 WHITE /BLACK

Example configurations of drawer inserts
according to drawer widths:











Wardrobe fittings

Linen drawer L-480

NEW



1 Linen basket 600-900



width	wymiar A	index	colour
600	563	WE29.0637.01*	061, 331
700	663	WE29.0638.01*	061, 331
800	763	WE29.0639.01*	061, 331
900	863	WE29.0640.01*	061, 331

2 Extension system L-480



index	colour
WE29.0649.01*	061, 331


* coming soon

COATING CODE: 061 BLACK MAT 331 WHITE MAT




Wardrobe fittings

Drawer for shoes L-480



1 Shoe rack 600-900



width	A	index	colour
600	563	WE29.0641.01*	061, 331
700	663	WE29.0642.01*	061, 331
800	763	WE29.0643.01*	061, 331
900	863	WE29.0644.01*	061, 331

2 Extension system L-480




index	colour
WE29.0649.01*	061, 331




Wardrobe fittings

Drawer for trousers L-480



1 Trouser hanger 600-900



width	wymiar A	index	colour
600	563	WE29.0645.01*	061, 331
700	663	WE29.0646.01*	061, 331
800	763	WE29.0647.01*	061, 331
900	863	WE29.0648.01*	061, 331

2 Extension system L-480




index	colour
WE29.0649.01*	061, 331

* coming soon

COATING CODE: 061 BLACK MAT 331 WHITE MAT



Simpla Drawer L-500



1 Basket 400-600



width	A	H	index	colour
400	332-348	150	WA03.4965.01	003, 788
		200	WA03.4969.01	003, 788
500	432-448	150	WA03.4966.01	003, 788
		200	WA03.4970.01	003, 788
600	532-548	150	WA03.4967.01	003, 788
		200	WA03.4971.01	003, 788

2 Extension system L-500

Roller runner



index	colour
TH03.0039.01	002, 003

Ball bearing runner




index	colour
WH02.2176.01	062




Wardrobe fittings

Pull down wardrobe hanger




width	index	colour
450-600	TA01.0029.08	003, 052, 055
600-830	TA01.0030.08	003, 052, 055
830-1100	TA01.0031.08	003, 052, 055

COATING CODE: 003 WHITE 052 CHROME/BLACK 055 BLACK





Wardrobe fittings

Trouser hanger set 5 pcs

index TA01.0060.05	colour 061
-----------------------	---------------



COATING CODE: 061 BLACK

Pull-out clothes hanger




length	A x X x Y	index	colour
250	220 x 253 x 403	TA01.0005.08	064
300	270 x 303 x 503	TA01.0006.08	064
350	320 x 353 x 589	TA01.0007.08	064
400	380 x 413 x 709	TA01.0008.08	064
450	420 x 453 x 779	TA01.0009.08	064
500	480 x 503 x 890	TA01.0032.08	064

Pull-out clothes hanger E50



length	A x X x Y	index	colour
250	237 x 282 x 400	TA01.0052.08	052
300	287 x 332 x 500	TA01.0038.08	052
350	337 x 382 x 600	TA01.0039.08	052
400	387 x 432 x 700	TA01.0040.08	052
450	437 x 482 x 800	TA01.0013.08	052
500	437 x 532 x 800	TA01.0010.08	052

Pull-out clothes hanger E50 with handle




length	A x X x Y	index	colour
250	222 x 250 x 392	TA01.0053.47	052
300	272 x 300 x 492	TA01.0041.47	052
350	320 x 350 x 592	TA01.0042.47	052
400	376 x 400 x 692	TA01.0043.47	052
450	425 x 450 x 792	TA01.0044.47	052
500	475 x 500 x 892	TA01.0045.47	052



Wardrobe fittings


Fixing bracket for drop-down shoe rack



type	index	colour
1 Shelf	TA02.0001.05	013
2 Shelves	TA02.0002.05	013
3 Shelves	TA02.0003.05	013


COATING CODE: 013 WHITE

Oval wardrobe rail




length	A x C	index	colour
3000	15 x 30	TA05.0014.01	001

Round wardrobe rail Ø25




L	index	colour
3000	TA05.0060.01	001

Oval wardrobe rail end support



A x C	index	colour
15 x 30	TA05.0039.66	064


Round wardrobe rail end support Ø25



index	colour
TA05.0003.66	001

COATING CODE: 001 CHROME 064 NIKEL


Adjustable hanging wardrobe rail centre bracket (651)



index
TL01.1332.14

colour
001

Adjustable hanging wardrobe rail end bracket (652)



index
TL01.1333.14

colour
001



Slim Box drawer and organiser systems

Details on ordering and configuring drawer systems can be found in the *Drawer and runner systems* section.





BATHROOM

laundry | utility room





Functionality and simplicity

When designing a space, we must not only take care of aesthetics, but also optimal use of the space that surrounds us. REJS accessories provide help with, finding the easiest way to organize space in cabinets and drawers. Regardless of whether we have a small or a spacious bath room.

In the fight for every precious centimeter and order in the bathroom

Cargo systems may turn out to be an ally, which will facilitate the ordering of bathroom storage items. Thanks to the use of this type of systems, we can create perfect organization for towels, cleaning agents and detergents. Depending on your needs, we can adjust types of baskets to the type of products stored, their dimensions and height.

Convenient solutions for laundry and utility rooms

The REJS offer also includes very spacious laundry baskets, which depending on the type of cabinets, can be installed in several ways. Thanks to the available configurations, they can be put in cabinets with a traditional, sliding or tilting front. Perforated containers ensure adequate air circulation, which is very important in the case of dirty textiles.

The Housemaster frame is an ideal solution for small utility rooms. It is designed to store brushes, buckets, cloths, cleaning products and even the vacuum cleaner won't be a hassle. Both in the bathroom, laundry and utility rooms, cargo systems equipped with reliable REJS extension systems, guarantee failure-free and user peace of mind for many years.



BATHROOM

Front drawer for Laundry 600 L-480



1 Laundry basket 33 l

NEW



NOTE: 2 pieces are required
to complete the set

index
2 x TE22.6696.05

colour
013

2 Front drawer for laundry - runner system L-480

NEW



index
WE28.3832.01

colour
331

Internal laundry basket 500 L-300



1 Laundry basket 33 l

NEW



index
TE22.6696.05

colour
013

2 Internal laundry basket - extension system L-300

NEW



index
WE28.3933.01

colour
331

Tilted front laundry basket 450-500



1 Laundry basket 33 l

NEW



index
TE22.6696.05

colour
013

2 Basket holder



index
WE14.2149.01

colour
062

3 Swing arm hinge



index
TJ03.5514.01

colour
062

Door mounted laundry basket



1 Laundry basket 33 l

NEW



index
TE22.6696.05

colour
013

2 Basket holder




index
WE14.2149.01

colour
062

Single cargo mini base basket 300-600 L300/450 front mounted



1 Single base basket 300-600



width	index L-300	colour	index L-450	colour
300	WE29.0147.01	003	WE29.0009.01	001, 003, 062, 549
400	WE29.0148.01	003	WE29.0010.01	001, 003, 062, 549
500	WE29.0149.01	003	WE29.0011.01	001, 003, 062, 549
600	WE29.0150.01	003	WE29.0151.01	001, 003, 549

2 REJS FULL base extension system L300/450 front mounted




index L-300	colour	index L-450	colour
WE29.0616.01	003	WE29.0014.01	549

Single cargo mini base basket 300-600 L-300/450 Internal



1 Single base basket 300-600




width	index L-300	colour	index L-450	colour
300	WE29.0147.01	003	WE29.0009.01	001, 003, 062, 549
400	WE29.0148.01	003	WE29.0010.01	001, 003, 062, 549
500	WE29.0149.01	003	WE29.0011.01	001, 003, 062, 549
600	WE29.0150.01	003	WE29.0151.01	001, 003, 549

2 REJS FULL base extension system L300/450 for hinged fronts



index L-300	colour	index L-450	colour
WE29.0615.01	003	WE29.0128.01	549

Single cargo mini base basket 300-600 L-300 tilted front**1 Single base basket 300-600**


width	index	colour
300	WE29.0147.01	003
400	WE29.0148.01	003
500	WE29.0149.01	003
600	WE29.0150.01	003

2 Basket holder

index	colour
WE14.2149.01	062

3 Swing arm hinge

index	colour
TJ03.5514.01	062

Single cargo mini base basket 300-600 L-300 front mounted**1 Single base basket 300-600**

width	index	colour
300	WE29.0147.01	003
400	WE29.0148.01	003
500	WE29.0149.01	003
600	WE29.0150.01	003

2 Basket holder

index	colour
WE14.2149.01	062

Mini base cargo 150-400 L-300 front mounted



1 Base basket 150-400



width	index	colour
150	WE29.0143.01	003
200	WE29.0144.01	003
300	WE29.0145.01	003
400	WE29.0146.01	003

2 REJS FULL base extension system L300 front mounted



index	colour
WE29.0616.01	003

Mini base cargo 300-400 L-300 internal



1 Base basket 300-400




width	index	colour
300	WE29.0145.01	003
400	WE29.0146.01	003

2 REJS FULL base extension system L300 for hinged fronts



index	colour
WE29.0615.01	003

Wire laundry basket 300-500 for tilted fronts**1 Laundry basket**

width	index	colour
300	WE21.0101.01	003
400	WE21.0102.01	003
500	WE21.0103.01	003

2 Swing arm hinge

index	colour
TJ03.5514.01	062




Flexible siphon housing



Product characteristics:


- to be used in drawers with a depth of NL=270-650 mm
- designed for drawers with a bottom made from 16 mm board
- compatible with low and tall drawers from all manufacturers
- made from flexible plastic ensuring the cover easily fits the drawer
- can be cut-to-size and adjusted to fit varying types of back wall fittings
- 3 colours to choose from: white, silver and graphite

index	colour
TH02.8202.05	007, 013, 049



Foldable clothes drying rack




Foldable clothes drying rack

Product characteristics:

- 2 sizes to choose from
- spacious - unfolded can hold more clothes than standard dryers on the market
- compact - folded up it takes up a small amount of space
- made from high quality materials
- stable construction

Bathroom, laundry, utility room


type	index	colour
small	WE19.0012.01	010
large	WE19.0013.01	010

unfolded clothes rack






type	A x B x C
small	1260 x 565 x 900
large	1980 x 565 x 900

folded clothes rack



type	A x B x C
small	130 x 565 x 1160
large	165 x 565 x 1160



Screw-on basket for detergents



index
WE19.0266.01

colour
062



Screw-on towel hanger



index
WE11.0213.01

colour
062


Hook WAL 01



index
TI21.9000.07


colour
003, 035, 039

Front drawer for Laundry 600 L-480




- suitable for 16/18mm boards
- maximum load capacity per system 25 kg
- 3D front regulation
- click-on front mounted
- soft close Rejs runner L-480

Internal laundry basket 500 L-300




- suitable for 16/18mm boards
- maximum load capacity per system 25 kg
- runner fixing click-on
- construction avoids the hinge protrusion
- soft close Rejs runner L-300

Tilted front laundry basket 450-500




- screwed-on to the cabinet front
- fixtures used for mounting the basket are made with anti-corrosion finish

Door mounted laundry basket




- lid included
- holes ensure air circulation
- handles make it easier to remove the basket
- high quality plastic

Single cargo mini base basket 300-600 L300/450 front mounted


- maximum load capacity 10 kg
- Rejs Full runner L-300 / L-450

cargo type	LW	LT L-300	LT L-450
300	min. 264		
400	min. 364		
500	min. 464	min. 320	min. 460
600	min. 564		

Single cargo mini base basket 300-600 L-300/450 Internal


- maximum load capacity 10 kg
- Rejs Full runner L-300 / L-450

cargo type	LW	LT L-300	LT L-450
300	min. 264		
400	min. 364		
500	min. 464	min. 320	min. 460
600	min. 564		


Single cargo mini base basket 300-600 L-300/450 tilted front

- fixed to cabinet front
- fittings for hanging the basket are coated with an anti-corrosive finish

cargo type	LW
300	min. 260
400	min. 360
500	min. 460
600	min. 560


Single base basket

cargo type	A
300	230
400	330
500	430
600	530

Mini base cargo 150-400 L-300 front mounted


- maximum load capacity 10 kg
- Rejs Full runner L-300

cargo type	LW
300	min. 264
400	min. 364
500	min. 464
600	min. 564

Mini base cargo 300-400 L-300 internal

- maximum load capacity 10 kg
- Rejs Full runner L-300

cargo type	LW
300	min. 260
400	min. 360
500	min. 460
600	min. 560

Wire laundry basket 300-500 for tilted fronts

cargo type	A	LW
300	233	min. 264
400	333	min. 364
500	433	min. 464

A - basket width

LW - cabinet internal width

LT - internal cabinet depth






LAUNDRY UTILITY ROOM



Housekeeping set House Master

NEW

Product characteristics:

- designed for cabinets with a corpus width of min. 400 mm
- can be fitted in a cabinet with a hinged front or with sliding doors
- quick frame assembly to the runner - click on REJS running system with soft close
- maximum load capacity 20 kg
- easy height adjustment for hanging elements
- additional holders for mops and brushes can be purchased separately (information on page 203)

Elements included in the set:

- 1 left or right maxi side frame with guides Rejs L-500
- 2 distancer
- 3 organizational board
- 4 hook x 3
- 5 small basket
- 6 medium basket
- 7 plastic holder for handles x 3
- 8 hanger for the vacuum cleaner pipe
- 9 large basket
- 10 non-slip mats (cut to size each basket)




holes in the frame allow the user to choose the height at which elements are fitted



appropriately contoured hooks can be freely hung on baskets and organisational strip



plastic holders for handles, after even accommodate the vacuum cleaner hose after removing the rubber insert



fixing side	index	colour
L	WA02.3518.01	924
R	WA02.3519.01	924

Mini front base cargo 300-600 L-450



1 Base basket 300-600



width	index	colour
300	WE29.0005.01	001, 003, 062, 549
400	WE29.0006.01	001, 003, 062, 549
500	WE29.0007.01	001, 003, 062, 549
600	WE29.0008.01	001, 003, 062, 549

2 Base extension system REJS FULL for fronts



index	colour
WE29.0014.01	549

Internal mini base cargo 300-600 L-450



1 Base basket 300-600



width	index	colour
300	WE29.0005.01	001, 003, 062, 549
400	WE29.0006.01	001, 003, 062, 549
500	WE29.0007.01	001, 003, 062, 549
600	WE29.0008.01	001, 003, 062, 549

2 Base extension system REJS FULL for hinged fronts




index	colour
WE29.0128.01	549

Internal mini base cargo 300 L-450 with removable baskets for cleaning products



1 Base basket with removable baskets for cleaning products



width	index	colour
300	WE29.0140.01	001, 062, 549

2 Base extension system REJS FULL for hinged fronts



index	colour
WE29.0128.01	549

Internal mini base cargo 300-400 L-450 with wastebins



1 Base basket with wastebins 300-400



width	width / capacity	index	colour
300	1x20l + 1x9l	WE29.0129.05	549
300	3x9l	WE29.0130.05	549
400	2x20l	WE29.0131.05	549
400	1x20l + 2x9l	WE29.0132.05	549



2 Base extension system REJS FULL for hinged fronts



index	colour
WE29.0128.01	549




Small vacuum hose holder



index
WA01.0311.01

colour
062


Large vacuum hose holder



index
WA01.0312.01

colour
062


Vacuum hose holder with baskets for cleaning products



index
WA01.0329.01

colour
062




Screw-on basket for cleaning products



index
WE19.0266.01

colour
062

Screw-on towel holder



index
WE11.0213.01

colour
062

Stick-on plastic holder for broom/mop handles


Product characteristics:

- mops and brushes can be hung anywhere
- transparent self-adhesive surface
- can be fixed on any smooth surface
- diameter up to 35 mm
- vacuum cleaner hose fits, after removing the rubber insert



index
TT03.2553.00.000

COATING CODE: 062 ZINC



Bin holder



index
WE14.2149.01


colour
062

Universal containers for PRAKTIKO and JC wastebins



capacity	index	colour
7 l	TE22.1993.05	007, 049
9 l	TE22.1969.05	007, 049
15 l	TE22.1994.05	007, 049
20 l	TE22.1968.05	007, 049

Container handles PRATIKO and JC 7 l / 9 l / 15 l / 20 l



to waste bin	index	colour
7 l / 9 l	TE22.6580.05	007, 044, 046, 047, 089
15 l / 20 l	TE22.6568.05	007, 044, 046, 047, 089

Lids for PRAKTIKO and JC containers 7 l / 9 l and 15 l / 20 l



to waste bin	index	colour
7 l / 9 l	TE22.5680.05	007, 049
15 l / 20 l	TE22.5668.05	007, 049

Mini PRATIKO wastebin container




index	colour
TE22.1188.05	007, 049



Drawer systems and Slim Box organisation

Details regarding ordering and product completion in the *Drawers and runners* section.





OFFICE





A modern work place

How to create a work space that will favour concentration and creative ideas, simultaneously enabling us to take care of our health? REJS furniture accessories can be relied upon for this task.

Comfort and ergonomics

Regardless of whether the discussion is about furnishing a classic office, conference room, laboratory, a corner for a home office or a children's room, the basis must be appropriately tailored to the needs of the desk user. The Futuro electric frame proposed by REJS, provides height adjustment of the desk top, and thus adaptation to the requirements of the person working and their style of work (sitting or standing).

The REJS offer for offices is complemented by additional accessories - such as a stand for the central computer unit, connectors allowing to connect desks and separate workstations and cable troughs to prevent them from tangling.



FUTURO Desk frame with electrical height adjustment

NEW

FUTURO



Product characteristics



universal usage



height adjustment
625-1275 mm



frame width adjustment
1075-1800 mm



maximum load capacity
80 kg



height memory
for upto four
users



anti-collision
sensor



built-in USB
socket



2 motors
guarantees
a smooth movement



legs are made
of 3 columns



power
110-230V



maximum
speed:
40 mm/s






tested to
na 60 000
cycles

Control panel



Technical information



See how
FUTURO
works

index
TT03.2655.01


colour
002, 003, 055

COATING CODE: 002 SILVER 003 WHITE 055 BLACK




FUTURO desk connector

NEW



- connects desks to each other
- space to put the panel between the desktops and for separating work stations
- table tops and panels to be cut by the customer




index	colour
WF01.2201.01*	002, 003, 055

FUTURO Stand for control unit

NEW



- stand for built-in computer units
- height adjustment
- board cut by the customer




index	colour
WF01.2202.01*	002, 003, 055

FUTURO cable trough

NEW



- keep cables under the desktop tidy



index	colour
WF01.2203.01*	002, 003, 055





ELEKTRIMA KWADRO Rectangular recessed desk multi-socket 3 x schuko sockets

NEW

ELEKTRIMA



Characteristics



index
TR19.0003.08

colour
013, 049, 061



ELEKTRIMA KWADRO Rectangular recessed desk multi-socket 2 x schuko sockets, 2 x USB 2,1A 5V

NEW

ELEKTRIMA



Characteristics



index
TR19.0004.08

colour
013, 049, 061

Office

Extension leads

REJS




ELEKTRIMA TUBUS Retractable round Pull Pop Up Power Multi - Socket 60 mm, 3 x schuko sockets

NEW

ELEKTRIMA



Characteristics



index	colour
TR19.0001.08	049, 061

Office


ELEKTRIMA TUBUS Retractable round Pull Pop Up Power Multi - Socket 60 mm, 3 x schuko sockets, 2 x USB

NEW

ELEKTRIMA




Characteristics



index	colour
TR19.0002.08	049, 061


COATING CODE: 049 SILVER 061 BLACK

Cable insert




Ø	index	colour
60	TF01.0406.05	013, 038, 061, 063, 067, 070
80	TF01.0506.05	013, 061, 063

Square key lock




index	colour
TD02.0013.01	064

Magnetic lock + armature



index	colour
TD02.0066.08	013, 037, 061

Sliding cabinet door latch



index	colour
TD02.0003.01	064



Drawer systems and Slim Box organisation

Details regarding ordering and product completion in the *Drawers and runners* section.





KATALOG



HINGES

and Flap fittings





Durability and peace of mind for years

Hinges and gas stays are often the forgotten components of furniture fittings, although in fact, they are vital in ensuring the functionality of furniture. The durability and quality of these components dictate whether the opening of the cabinet door will be reliable, and consistent over time. Whether the cabinet doors close silently, and softly, or give a loud and irritating crack.

Hardware for all uses

REJS offers three groups of hinges, offering solutions for various tasks and projects. The Expert line is recommended for the most demanding users. These hinges are made of high quality steel with click-on technology, enabling easy assembly and disassembly without the use of tools. The set includes cover plates to conceal hinge cup fixings and hinge adjuster screws. Expert hinges also offer soft-close functionality.

Regular hinges are recommended for standard application, whilst for those who are looking for durable, but economical solutions, the Basic group is recommended.

Overview of the icons used in the catalogue

Application:

Line



Type



Characteristics:

Cup



Hinge-cup fixing

35 mm

45 mm

Guide Type



Guide with
fixing holes

Guide with
fixing holes for Euro
screws

Guide with
eccentric screw
fixings

Guide Height



Opening Angle



Hinge-arm to guide mounting type

Regulation



Three dimen-sional regulation

Horizontal front regulation

Vertical front regulation

Front depth regulation

Additional features



SOFT CLOSE

Silent closure

Single-stage
hinge

Additional information



3D Model

Tested to
80.000 cycles

Finish

Material

Standard
guarantee

Lifetime
guarantee

Standard application

	Ø35 Expert	Ø35 Basic	
Full overlay	p. 230-231		
	Ø35 Regular		
Partial overlay			
			
Inset	p. 240-241	p. 242-243	

Special Application - wide opening angle

	Ø35 Expert		
130° - 165° Regulated opening angle	p. 236-237		
	Ø35 Expert		
155° Zero offset	p. 238-239		
		Ø35 Basic	
165°		p. 248-249	


Parallel Application

	Ø35 Expert	Ø35 Basic	
Inset 90°	p. 234-235	p. 246-247	

Angled application


	Ø35 Expert	Ø35 Basic	
+45°	p. 232-233	p. 244-245	

Expert hinge



Expert hinges with 35 cup. Aesthetic and functional hinges combined with the SOFT CLOSE function, ensuring gentle and quiet closing of cabinet doors. The eccentric adjustment allows you to set the cabinet door in the right position in one step.


Mounting of the hinge-arm to the guide.



CLICK-ON

Simple assembly and disassembly without tools by pressing the hinge arm into the guide.

Hinge quantities



! The number of hinges depends on the height and weight of the cabinet front. Stability ensures the greatest possible distance between the hinges. The data refers to cabinet fronts with a width of 600 mm.

High quality

- tested according to standards PN-EN 15570:2010 to 80.000 Cycles
- covered by a lifetime warranty

Aesthetic performance

- Signed with the REJS logo
- Cover plate for hinge-arm and hinge-cup included (except the wide-angle hinge)



Hinges and Flap fittings



Packing



- Packed in pairs in printed bags
- Set includes: hinge, guide, coverplates and screws

Regular hinge

Hinge cup depth 12 mm

Hinge cup for screws
3,5 x 16

Mounting - system CLICK-ON

Self closing
SOFT CLOSE

Mounting regulation


Guide with CLICK-ON for
EURO screws 6,3 x 14

Mounting regulation

Guide with CLICK-ON for
screws 3,5 x 16

Regular hinges with a cup Ø35. Aesthetic and functional hinges with SOFT CLOSE, ensuring gentle and silent closing of cabinet doors.


Mounting of the hinge-arm to the guide.



CLICK-ON

Simple assembly and disassembly without tools by pressing the hinge arm into the guide.

Hinge quantities



Packaging: Hinges packed in plastic bags, in pairs.




The number of hinges depends on the height and weight of the cabinet front. Stability ensures the greatest possible distance between the hinges. The data refers to cabinet fronts with a width of 600 mm.

Basic hinge


Hinge cup depth 12 mm

Mounting - system SLIDE ON

Self-closing

Hinge cup for screws
3,5 x 16


Mounting regulation



Mounting regulation

Classic hinges with cup 35. Combine reliable operation with classic design.


Mounting of the hinge-arm to the guide.



SLIDE ON

simple assembly by inserting the arm
the hinge-arm over the guide bolt

Hinge quantities




Packaging: hinges sold loose

! The number of hinges depends on the height and weight of the cabinet front. Stability ensures the greatest possible distance between the hinges. The data refers to cabinet fronts with a width of 600 mm.

Application



Characteristics



Packing



Additional information




Hinge components


	Mounting regulation			Excentric regulation			Number of screws per hinge
	screw EURO 6,3 x 14	screw 3,5 x 16	screw 3,5 x 16				
Overlay 110 crank 0	index	index	index	H	screw EURO 6,3 x 14	screw 3,5 x 16	
	-	TJ01.7101.01.064	-	0	-	-	6
	-	-	TJ01.7199.01.064	0	-	-	4
	TJ01.7166.01.064	-	-	0	2	-	4
Partial overlay	index	index	index	H	screw EURO 6,3 x 14	screw 3,5 x 16	
	-	TJ01.8102.01.064	-	0	-	-	6
	-	-	TJ01.7124.01.064	0	-	-	4
	TJ01.7187.01.064	-	-	0	2	-	4
Inset	index	index	index	H	screw EURO 6,3 x 14	screw 3,5 x 16	
	-	TJ01.8204.01.064	-	0	-	-	6
	-	-	TJ01.7125.01.064	0	-	-	4
	TJ01.7177.01.064	-	-	0	2	-	4

COATING CODE: 064 NICKEL


Cabinet Door Positioning



$$H = 11 + K - D$$



$$H = 1,5 + K - D$$




$$H = -7 + K + F$$

** move back the guide according to the thickness of the cabinet door

	K=	3	4	5	6
H=0	D=	14	15	16	17



	K=	3	4	5	6
H=0	D=	4,5	5,5	6,5	7,5

	K=	3	4	5	6
H=0	F=	4	3	1	1



A	$25 + H$	$30 + H$	$38,5 + H$
B	$8,5 + H$	$18 + H$	$26,5 + H$

Cup installation and hinge guide measurements



* hole diameter depends on the type of screw



Adjustment



-2 / +2 mm




-2 / +2 mm



-1 / +3 mm

Legend

- D - Cabinet Door Positioning
- K - Cup positioning
- F - Reveal
- T - Thickness of the cabinet door
- H - Height of the guide
- A - Crank Height
- B - Overlap


Application**Characteristics****Packing****Additional information****Hinge components**

	Mounting regulation			Excentric regulation			Number of screws per hinge
	screw EURO 6,3 x 14	screw 3,5 x 16	screw 3,5 x 16				
	6,3 x 14	3,5 x 16	3,5 x 16	6,3 x 14	3,5 x 16	3,5 x 16	
Partial overlay +45° I	index			index	H	screw EURO 6,3 x 14	screw 3,5 x 16
	TJ01.2806.01.064	-	-	-	0	2	2
		-	-	TJ01.2808.01.064	0	-	4
		TJ01.2805.01.064	-	-	0	-	6




COATING CODE: 064 NICKEL

Cabient Door Positioning



Cup installation and hinge guide measurements



Regulation



-2 / +2 mm



-2 / +2 mm




-1 / +3 mm

Application



Characteristics



Packing



Additional information




Hinge components

Inset 90°	Mounting regulation			Excentric regulation			Number of screws per hinge
	screw EURO 6,3 x 14	screw 3,5 x 16	screw 3,5 x 16				
	index			index			H
	TJ01.3009.01.064	-	-	-	0	4	2
	-	-	-	TJ01.3014.01.064	0	-	4
	-	TJ01.3010.01.064	-	-	0	-	6




COATING CODE: 064 NICKEL

Cabinet Door Positioning



H=0 D=0

Cup installation and hinge guide measurements



* hole diameter depends on the type of screw



Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm

Legend

D - Cabinet Door Positioning
K - Cup positioning
T - Thickness of the cabinet door
H - Height of the guide

Application



Characteristics



Packing



Additional information



Hinge components


Overlay 130° - 165°	Excentric regulation		Number of screws per hinge		
	screw 3,5 x 16				
		index	H		
		TJ01.7129.01.064	0	-	4
		TJ01.7115.01.064	2	-	4



COATING CODE: 064 NICKEL


Cabinet Door Positioning / overlay hinge 130° - 165°

Opening angle regulation




$$H=13+K-D$$

	K=	3	4	5	6	7
H=0	D=	14	15	16	17	18
H=2	D=	12	13	14	15	16
H=4	D=	10	11	12	13	14



130° - 165°

Cup installation and hinge guide measurements



Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm


Legend

D - Cabinet Door Positioning
 K - Cup positioning
 T - Thickness of the cabinet door
 H - Height of the guide


Application**Characteristics****Packing****Additional information****Hinge components**

	Excentric regulation		Number of screws per hinge
	screw 3,5 x 16		
Overlay 155°		index	H
		TJ01.7111.01.064	-
		TJ01.7119.01.064	4
			2
			4

Cabient Door Positioning



Cup installation and hinge guide measurements



Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm

Legend

D - Cabient Door Positioning
 K - Cup positioning
 T - Thickness of the cabient door
 H - Height of the guide

Application



Characteristics



Packing



Additional information






Hinge components

	Mounting regulation		Number of screws per hinge
	screw EURO 6,3 x 14	screw 3,5 x 16	
Overlay 110° crank 0° 	index - -	index TJ01.5401.01.064 TJ01.6986.01.064*	H 0 0
	TJ01.6966.01.064*	-	2 - 0
Partial overlay 110° crank 8° 	index - -	index TJ01.5402.01.064 TJ01.6987.01.064*	H 0 0
		TJ01.6902.01.064*	- - 0
Inset 110° crank 15° 	index - -	index TJ01.6804.01.064 TJ01.6988.01.064*	H 0 0
	TJ01.6977.01.064*	-	2 - 0

* - indexes marked with * apply to products packed loose in a cardboard box of 100 pcs

Cabinet Door Positioning




** move back the guide according to the thickness of the cabinet door

	K=	3	4	5	6
H=0	D=	14	15	16	17



	K=	3	4	5	6
H=0	D=	4,5	5,5	6,5	7,5

	K=	3	4	5	6
H=0	F=	4	3	1	1



A	25 + H	30 + H	38,5 + H
B	8,5 + H	18 + H	26,5 + H

Cup installation and hinge guide measurements



* hole diameter depends on the type of screw



Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm

Legend

- D - Cabinet Door Positioning
- K - Cup positioning
- F - Reveal
- T - Thickness of the cabinet door
- H - Height of the guide
- A - Crank Height
- B - Overlap

Application



Characteristics



Packing



Additional information




Hinge components


	Mounting Regulation		Number of screws per hinge
	screw EURO 6,3 x 13	screw 3,5 x 16	
Overlay 110° crank 0°	index	index	H
	-	TJ09.0013.01.064	0
	TJ09.0014.01.064	-	0 2
without spring	-	TJ01.8993.01.064	0 - -
Partial overlay 110° crank 8°	index	index	H
	-	TJ09.0011.01.064	0 - -
	TJ09.0012.01.064	-	0 2 -
	TJ01.8903.01.064	-	2 2 -
Inset 110° crank 15°	index	index	H
	-	TJ09.0009.01.064	0 - -
	TJ09.0010.01.064	-	0 2 -
	TJ01.8904.01.064	-	0 2 -
	-	TJ01.5904.01.064	0 - -
	TJ01.5804.01.064	-	2 2 -

COATING CODE: 064 NICKEL


Cabinet Door Positioning



$$H=14+K-D$$



$$H=5+K-D$$



$$H=-2+K+F$$

** Move back the guide according to the thickness of the cabinet door



Use the formulas to determine the position of the cup (H).

Overlay cabinet doors: $H=14+K-D$

Partial overlay cabinet doors: $H=5+K-D$

Front Inset: $H=-2+K+F$

Cup installation and hinge guide measurements



* hole diameter depends on the type of screw



Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm

Legend

D - Cabinet Door Positioning
 K - Cup positioning
 F - Reveal
 T - Thickness of the cabinet door
 H - Height of the guide

Application



Characteristics



Packing



Additional information




Partial overlay +45° I




Hinge components

Mounting Regulation	screw EURO 6,3 x 13	screw 3,5 x 16	Number of screws per hinge		
	H		screw EURO 6,3 x 13	screw 3,5 x 16	
Partial overlay +45° I	index	index	2	-	-
	-	TJ01.9708.01.064	2	2	-
	TJ01.5808.01.064	-			

Cabient Door Positioning / +45° | angle partial overlay hinge



Cup installation and hinge guide measurements



* hole diameter depends on the type of screw



Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm

Legend

KB - Width of the cabinet door

LW - Inner corpus width

D - Cabient Door Positioning

K - Cup positioning

T - Thickness of the cabient door

H - Height of the guide

Application



Characteristics



Packing





Additional information



Hinge components


Inset 90°	Mounting Regulation		Number of screws per hinge
	screw EURO 6,3 x 13	screw 3,5 x 16	
	index	index	
	TJ01.5809.01.064	-	H 2
	-	TJ01.9709.01.064	screw EURO 6,3 x 13 2 -
			screw 3,5 x 16 - -

Cabinet Door Positioning



K=5	
H=0	D=4
H=2	D=2
H=4	D=0

Cup installation and hinge guide measurements



* hole diameter depends on the type of screw



Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm




Legend

D - Cabinet Door Positioning
 K - Cup positioning
 T - Thickness of the cabinet door
 H - Height of the guide

Application**Characteristics****Packing****Additional information****Hinge components**

	Mounting Regulation		Number of screws per hinge
	screw EURO 6,3 x 13	screw 3,5 x 16	
	index	index	
Overlay 165°		TJ01.9711.01.064	H 2
	TJ01.5811.01.064		screw EURO 6,3 x 13 - 2
			screw 3,5 x 16 - -


Cabinet Door Positioning



Use the formulas to determine the position of the cup (K) and the height of the guide (H)

$$H = 14 + K - D$$

Cup installation and hinge guide measurements



Regulation



-2 / +2 mm



-2 / +2 mm




-1 / +3 mm


Legend

D - Cabinet Door Positioning
 K - Cup positioning
 T - Thickness of the cabinet door
 H - Height of the guide

Damper AIRTIC PROFESSIONAL





Dedicated to the Basic hinge range





	index	index	colour
1 Damper	TJ03.1952.05		013, 063
2 Adapter for damper	TJ03.6553.05		013, 063

CLICK-ON with a straight plastic adapter and a silicone tip




	index	colour
TH02.9497.05		013, 049

CLICK-ON with a straight plastic adapter and a magnetic tip



	index	colour
TH02.9496.05		013, 049

CLICK-ON with a metal adapter and long silicone tip




	index	colour
TH02.9401.08		054

COATING CODE: 013 WHITE 049 SILVER 054 BRUSHED STEEL 063 GREY



 Flap lifts - general information

Flap fixings



Selection of lifts for cabinet front sizes

Front height H/W (mm)	Width of the cabinet door				
	do 450	460-600	600-900	900-1200	
300	1 x 60N	1 x 80N	2 x 60N	2 x 80N	
350	1 x 80N	2 x 50N	2 x 80N	2 x 100N	
400	2 x 50N	2 x 60N	2 x 100N	2 x 120N	
450	2 x 60N	2 x 80N	2 x 120N	-	
500	2 x 80N	2 x 100N	-	-	
550	2 x 80N	2 x 120N	-	-	
600	2 x 100N	2 x 120N	-	-	
650	2 x 120N	-	-	-	

Flap lift EXALTO



- For narrow top-cabinets
- 6-stage power regulation
- simple assembly
- low opening resistance
- modern design
- flap and cabinet body fixings included
- combining with SOFT CLOSE hinges, ensures quiet and gentle closing

Recommended Hinges:

TJ01.7101.01.064 - EXPERT SOFT CLOSE full overlay hinge 110° crank 0 with mounting plate H=0

TJ01.7199.01.064 - EXPERT SOFT CLOSE full overlay hinge 110° crank 0 with mounting plate H=0
with eccentric screw adjustment

type	index	colour
LF 500-1500	TJ09.0003.01	002
LF 800-1800	TJ09.0004.01	002


Calculation of the elevator power factor LF:

Corpus Height KH (mm) x weight
of the cabinet front with double
weight of the handle (kg).




When on the boundary of the weight
restriction for a single lift we recommend
a test assembly!

Mounting Position





$$H = 145 + D + K + B$$


Front Mounting Position



Space required



decorative strips



FD	16	19	22	24
X	45	34	23	15
Y	45	34	23	15

Cabinet dimensions:

LT - internal depth: min. 125 mm

KH - height: 240-600 mm


D - guide distance

K - hinge crank

B - cabinet ceiling thickness

LH - minimum internal height

Pneumatic gas stay lift with shock damper





- fixing for wooden fronts
- gas lift for swing fronts
- cabinet door opening angle regulation 75°, 90° or 105°
- possible to precisely set the point of shock absorption

Door opening angle	W	D	H
75°	290	63	315
90°	270	51	300
105°	250	39	285

N force	index	colour
60	TJ03.9015.08	049
80	TJ03.9003.08	049
100	TJ03.9001.08	049



Pneumatic gas stay lift L=156



- fixing for wooden fronts
- fixing for aluminium fronts sold separately (p. 254)
- gas lift for swing fronts
- flat base for screw fixing - with pin
- for flap doors
- packed individually

N force	index	colour
50	TJ03.0550.08	049
60	TJ03.0560.08	049
80	TJ03.0563.08	049

Pneumatic gas stay lift




- fixing for wooden fronts
- fixing for aluminium fronts sold separately (p. 254)
- gas lift for swing fronts
- flat base for screw fixing - with pin
- for flap doors
- packed individually

N force	index	colour
50	TJ03.0519.08	049
60	TJ03.0515.08	049
80	TJ03.0503.08	049
100	TJ03.0501.08	049
120	TJ03.0502.08	049

Pneumatic gas stay lift KONTRA


- fixing for wooden fronts
- fixing for aluminium fronts sold separately (p. 254)
- gas lift for drop down cabinet doors
- flat base for screw fixing - with pin
- for flap doors
- packed individually



N force	index	colour
60	TJ03.0577.08	049
80	TJ03.0566.08	049

Vertical swing lift

- fixing for wooden fronts
- to the drop down cabinet fronts
- material - steel
- 1 item in a package



index	colour
TJ03.5514.01	062

Fixing for aluminium fronts

index	colour
TJ03.0596.01	064





DECORATIVE ELEMENTS

aluminium frame | handles





Finishings of the highest level

Beauty is in the details are. The right choice of decorative elements will give character to your kitchen. The upper cabinet fronts one of the most exposed elements not only of furniture, but also the entire interior. In the REJS offer, in addition to wood and board decors, it is worth paying attention to glass and aluminum profiles that are perfect for modern, state of the art interiors in a loft style and more. The handles also play an important role, they are not called the jewelery of furniture for nothing. Our offer includes a choice of classic, simple or modern handles, which will successfully suit any interior.

A wide range of decorative elements

REJS's offer includes several types of aluminum profiles with various surface finishes. They are perfect for: classic fronts side-opening and tilted. More frequently, they are also used as drawer fronts - especially wide and tall ones. REJS offers a wide range of single-colored glass, satin, three-dimensional, as well as printed graphics, as a filling for fronts made of aluminum profiles,. A great help is the cut-to-measure service for any purpose.


The REJS assortment also includes a wide range of furniture handles: railing, screw-on and edge in the most fashionable colors.






ALUMINIUM PROFILES & FRAMES



Profile for frame R1



Connecting profile for R1 frame





Profile for frame R4



index
TG05.0128.07

colour
035, 039


Connecting profile for R4 frame




index
TG05.0205.07

colour
035, 039

Profile for frame R11



Profile for frame R12







**ALUMINIUM
HANDLES & HOOKS**

Furniture handle RH063



Decorative elements



A - fixing distance for drilling holes
B - handle width



A x B	index	colour
96 x 156	TI01.3605.01	A18, 001, 004, 005, 083
128 x 188	TI01.3606.01	A18, 001, 004, 005, 083
160 x 220	TI01.3607.01	A18, 001, 004, 005, 083
192 x 272	TI01.3608.01	A18, 001, 004, 005, 083
224 x 304	TI01.3615.01	A18, 001, 004, 005, 083
256 x 356	TI01.3609.01	A18, 001, 004, 005, 083
288 x 368	TI01.3612.01	A18, 001, 004, 005, 083
320 x 400	TI01.3616.01	A18, 001, 004, 005, 083

COATING CODE: A18 BLACK MAT 001 CHROME 004 SATIN CHROME 005 SATIN NICKEL 083 BRUSHED NICKEL

Furniture and handle profile AL9



Decorative elements






A x B	index	colour
32 x 52	TI21.1445.07	003, 035, 043, 055
96 x 116	TI21.1446.07	003, 035, 043, 055
128 x 148	TI21.1447.07	003, 035, 043, 055
192 x 212	TI21.1448.07	003, 035, 043, 055

COATING CODE: 003 WHITE 035 NATURAL C-0 043 GRAPHITE 055 BLACK

Furniture handle AL13




Decorative elements





A x B	index	colour
32 x 52	TI21.1449.07	003, 035, 043, 055
96 x 116	TI21.1450.07	003, 035, 043, 055
128 x 148	TI21.1451.07	003, 035, 043, 055
192 x 212	TI21.1452.07	003, 035, 043, 055

COATING CODE: 003 WHITE 035 NATURAL C-0 043 GRAPHITE 055 BLACK

Furniture handle FE2



Decorative elements





L	index	colour
3010	TI10.1198.07	035, 689, 843

COATING CODE: 035 NATURAL C-0 689 BLACK MAT 843 BRUSHED ALUMINUM

Furniture handle FE3



Decorative elements




L	index	colour
3010	T110.1199.07	035, 689, 843

COATING CODE: 035 NATURAL C-0 689 BLACK MAT 843 BRUSHED ALUMINUM

Furniture handle FE6



Decorative elements




035



689



843





L	index	colour
3010	TI10.1200.07	035, 689, 843

COATING CODE: 035 NATURAL C-0 689 BLACK MAT 843 BRUSHED ALUMINUM

Hook WAL 01



Decorative elements




index	colour
TI21.9000.07	003, 035, 039

COATING CODE: 003 WHITE 035 NATURAL C-0 039 BLACK MAT





ADDITIONAL ACCESSORIES







Accessories matter

The REJS offer also includes other furniture accessories, such as furniture feet, hangers for upper cabinets, various types of brackets or supports for shelves and many others. To make your work even easier, our assortment also includes protective products, such as cardboard or protective films.

Round steel furniture leg



- steel top fixing plate
- adjustable plastic foot
- steel leg





$\varnothing \times C$	index	colour
60 x 710	TB04.0408.01	001, 004, 005, 054, 055
60 x 820	TB04.0410.01	001, 004, 005
60 x 1100	TB04.0411.01	001, 004, 005, 054

Round steel furniture leg



- steel top fixing plate
- adjustable plastic foot
- steel leg





$\varnothing \times C$	index	colour
60 x 710	TB04.0426.01	001, 004, 005, 054, 055, 788

Square aluminium furniture leg



- aluminium fixing plate
- adjustable plastic foot
- aluminium leg





$A \times C$	index	colour
45 x 710	TB08.0703.07	035
45 x 820	TB08.0706.07	035

Square aluminium furniture leg





- aluminium fixing plate
- adjustable plastic foot
- aluminium leg




$A \times C$	index	colour
60 x 710	TB08.3303.07	003, 035, 039, 741
60 x 820	TB08.3306.07	003, 035, 039, 741

Adjustable square foot ALU




A x C	index	colour
40 x 60	TB07.6307.18	001, 003, 035, 061
40 x 100	TB07.6303.18	001, 003, 035, 061
40 x 150	TB07.6305.18	001, 003, 035, 061

Round adjustable foot ALU




Ø x C	index	colour
40 x 60	TB07.0507.18	035
40 x 100	TB07.0503.18	035
40 x 150	TB07.0505.18	035

Foot ALU-SO01




Ø x C	index	colour
32 x 100	TB07.0103.09	014

Foot ALU-SO02




Ø x C	index	colour
50 x 100	TB07.1003.09	014
50 x 150	TB07.1005.09	014

Adjustable foot ALU-SKR04




A x C	index	colour
45 x 50	TB07.2501.18	035
45 x 75	TB07.2502.18	035
45 x 100	TB07.2503.18	035, 039
45 x 120	TB07.2504.18	035
45 x 150	TB07.2505.18	035, 039
45 x 200	TB07.2506.18	035

Foot M01




height	index	colour
100	TB02.0001.01	001

Adjustable foot 2 piece




height	index	colour
100	TB06.0201.05	061

Adjustable foot 3 piece




height	index	colour
100	TB06.0203.05	061
150	TB06.0208.05	061

3 piece adjustable foot with bracket




height	index	colour
100	TB06.0245.05	061

ITP adjustable foot




height	index	colour
45-70	TB06.0257.05	061
70-100	TB06.0258.05	061
90-120	TB06.0259.05	061
135-165	TB06.0260.05	061

Clip for ITP foot



index	colour
TB06.0161.05	061

Adjustable foot Ø50 ASA




index	colour
TB06.0210.05	061

COATING CODE: 061 BLACK

Clips for adjustable feet



- for fitting the furniture kickboard




index	colour
TB06.0105.05	061

Kickboard clip




- for fitting an aluminium or plastic kickbaord




index	colour
TB06.0142.05	061

Level adjuster PI05 M6



index	colour
TH02.1535.08	061


Plug BP05 M6



index	colour
TH02.2751.01	250

COATING CODE: 061 BLACK 250 YELLOW ZINC


Single pin glide



index
TB01.0108.05

colour
061


Double pin plastic glide



index
TB01.0103.05

colour
061

Rigid castor wheel



index
TB01.0218.08


colour
061

Additional accessories


Wall cabinet hangers and mounting strips



Cabinet hanger STRONG 01



- load capacity 100kg per set
- to be fitted on a mounting strip
- tested to standard EN 15939
- covers sold separately



NOTE: assembly of additional storage eg. closing shelf without the use of hangers is prohibited

index
TH01.2050.08.000

Cabinet hanger cover for STRONG 01




type	index	colour
left	TH01.1539.05	013
right	TH01.1540.05	013
left + right	TH01.2051.01	801

Cabinet hanger STRONG 02



- load capacity 100 kg per set
- to be fitted on a mounting strip
- tested to standard EN 15939
- white cover included in set



NOTE: assembly of additional storage eg. closing shelf without the use of hangers is prohibited

index
TH01.2152.08
colour
062


COATING CODE: 013 WHITE 062 WHITE ZINC 801 SATIN

Wall cabinet hangers and mounting strips

Universal regulated hanger I



- load capacity 50 kg per set
- to be fitted on a mounting strip
- tested to standard PN-EN 15939+A1:2014-03



NOTE: assembly of additional storage eg. closing shelf without the use of hangers is prohibited


index
WH01.0303.08

colour
013

Universal regulated hanger II



- load capacity 50 kg per set
- to be fitted on a mounting strip
- tested to standard PN-EN 15939+A1:2014-03



NOTE: assembly of additional storage eg. closing shelf without the use of hangers is prohibited


index
WH01.0403.08

colour
013

Inclined universal adjustable cabinet hanger



- load capacity 50 kg per set
- to be fitted on a mounting strip
- tested to standard PN-EN 15939+A1:2014-03



NOTE: assembly of additional storage eg. closing shelf without the use of hangers is prohibited


index
WH01.0202.08

colour
013

Adjustable hanger L/R



- load capacity 55 kg per set
- to be fitted on a mounting strip
- tested to standard PN-EN 15939+A1:2014-03



NOTE: assembly of additional storage eg. closing shelf without the use of hangers is prohibited

type	index	colour
left	WH01.0204.08	013
right	WH01.0205.08	013


Additional accessories
Wall cabinet hangers and mounting strips



Adjustable hanger with excentric screw



- maximum load capacity 15 kg/pc
- hung with the aid of hooks




NOTE: assembly of additional storage eg. closing shelf without the use of hangers is prohibited

index
WH01.0206.08

colour
037

Universal hook plate




index
WH01.0103.01

colour
062

Mounting strip



- maximum load capacity 80 kg / pc
- the bent ends of the strip prevent the cabinet from slipping



L
80


index
WH01.0507.01

colour
062

Mounting strip



- maximum capacity 150 kg/cabinet
- fitted with 2 screw in the place where the hanger is mounted
- can be adjusted to suit the appropriate dimension



L
2000

index
WH01.0711.01

colour
062

COATING CODE: 037 BROWN 062 WHITE ZINC

Single elliptical connector for glass/baord (120)

- plastic insert included



index	TL01.0204.14
-------	--------------

colour	001
--------	-----

Triple connector



type	index	colour
left (102)	TL01.0413.14	001
right (101)	TL01.0414.14	001

3-way mini connector (201)



index	TL01.0518.14
-------	--------------

colour	001
--------	-----

3-way connector (202)



index	TL01.0517.14
-------	--------------

colour	001
--------	-----

4-way adjustable connector (203)



index	TL01.0619.14
-------	--------------

colour	001
--------	-----

Round wardrobe rail Ø25



L	3000
---	------

index	TA05.0060.01
-------	--------------


colour	001
--------	-----

Round wardrobe rail support Ø25



index	TA05.0003.66
-------	--------------

colour	001
--------	-----




Additional accessories

Furniture braces and connectors




Worktop connector bolt




L	index	colour
65 x 32÷41	WH02.0014.01	062
100 x 41÷52	WH02.0019.01	062
150 x 75÷84	WH02.0013.01	062

Connector bolt for boards




Ø	index	colour
5	TH02.0305.01	064
7,3	TH02.0308.01	064

Angled connector for „N” boards single




index	colour
TH02.5006.05	013, 038, 049, 061, 063, 067, 069, 070, 071, 072, 075, 157, 166, 360, A68

Angled connector for „N” boards double




index	colour
TH02.5007.05	013, 038, 061, 063, 070, 166

Furniture brace Z-02



packaging	index	colour
80 pcs	TH02.7301.08	013, 061, 063, 067, 088, 094, 097, 157

Furniture brace PLUS Z-02



packaging	index	colour
80 pcs	TH02.7306.08	013, 061, 063, 067, 088, 094, 097, 157


COATING CODE: 013 WHITE 038 BEECH 049 SILVER 061 BLACK 062 WHITE ZINC 063 ASH 064 NIKEL 067 ALDER 069 LIGHT WALNUT 070 DARK WALNUT
071 BEECH 072 LIGHT OAK 075 MAHOGANY 088 WALNUT 094 WENGE 097 MAPLE/BEECH 157 RUSTIC OAK 166 LEGO 360 VANILLA A68 DARK GREY

Additional accessories

Furniture braces and connectors




Furniture brace Z-03




packaging	index	colour
100 pcs	TH02.7303.08	013, 061, 063, 097

Furniture brace MAX Z-02




packaging	index	colour
50 pcs	TH02.7302.08	013, 061, 063, 067, 088, 094, 097, 157

Furniture brace - angled Z-02




packaging	index	colour
80 pcs	TH02.7310.01	012

Furniture brace - angled Z-02 MAX




packaging	index	colour
50 pcs	TH02.7311.01	012

Corner bracket with 2 holes



index	colour
WH02.0003.01	062


Corner bracket with 3 holes



index	colour
WH02.0004.01	062


Additional accessories

Shelf support P1 Ø5




Ø	index	colour
5	TD01.0205.08	081

Shelf support Ø5 with shield




Ø	index
5	TD01.0226.08.000

Shelf support Ø5



Ø	A x B	index	colour
5	5 x 7	TD01.0204.01	062


Glass shelf support Ø5



Ø	index	colour
5	TD01.0206.08	064

COATING CODE: 062 WHITE ZINC 064 NIKEL 081 TRANSPARENT

Shelf bracket



A x L	max. load	index	colour
78 x 115	8 kg	TD01.0101.08	013, 049, 050, 061, 076
115 x 182	9,5 kg	TD01.0113.08	013, 049, 050, 061, 076
143 x 235	11 kg	TD01.0114.08	013, 049, 050, 061, 076


Additional accessories

Aluminum trims




Trim ALPO 28

edge




type	length	index	colour
left	600	TG04.0101.07	035
right	600	TG04.0201.07	035

corner




joining



length	index	colour
600	TG04.0513.07	035


Trim K 28 I

edge




type	length	index	colour
left	600	TG04.0140.07	035
right	600	TG04.0240.07	035

corner




joining



length	index	colour
600	TG04.0540.07	035


Trim DUROPAL 38

edge "E"




type	length	index	colour
left	600	TG04.0198.07	003, 035, 055
right	600	TG04.0298.07	003, 035, 055

corner




joining



length	index	colour
600	TG04.0514.07	003, 035, 055


Trim EGGER 38

edge "E"




type	length	index	colour
left	600	TG04.0199.07	003, 035, 039, 055
right	600	TG04.0299.07	003, 035, 039, 055

corner




joining



length	index	colour
600	TG04.0548.07	003, 035, 039, 055


Trim K 38 I

edge "E"




type	length	index	colour
left	600	TG04.0139.07	003, 035, 039, 055
right	600	TG04.0239.07	003, 035, 039, 055

corner




joining



length	index	colour
600	TG04.0550.07	003, 035, 039, 055


Ventilation grill 23,5 x 375



index
TE12.0347.07

colour
003, 035, 039, 041, 741



Ventilation grill 60 x 245



index
TE12.0346.07

colour
003, 035, 039, 041, 741


Ventilation grill 60 x 484



index
TE12.0345.07

colour
003, 035, 039, 041, 741


Ventilation grill 80 x 480



index
TE12.0344.07


colour
003, 035, 039, 041, 741

Magnetic lock + armature




index	colour
TD02.0066.08	013, 037, 061

Sliding cabinet door latch



index	colour
TD02.0003.01	064

Square patented lock






index	colour
TD02.0013.01	064

Bench frame



illustrative images, only the bench frame is available for sale


- the frame is made from galvanised pipes which are then powder coated
- protected against harmful weather conditions
- the product consists of frames only (without seat, backrest) and assembly screws
- the frame is adapted to be permanently fixed with screws passing through the foot of the bench



* recommended measss

Ø	index	colour
60	WB06.0606.01	055, 132


Bed hook



index
WH02.0067.01


colour
062

Bed hook



type	index	colour
left	WH02.0016.01	062
right	WH02.0017.01	062


Brace bracket connector



index
WH02.0015.01

colour
062


Central bed hook



index
WH02.0018.01


colour
062

Clamping clip one-hole BN




index WH02.0009.01	colour 062
-----------------------	---------------

Clamping clip one-hole 2




index WH02.0010.01	colour 062
-----------------------	---------------

Clamping clip two-hole




index WH02.0011.01	colour 062
-----------------------	---------------

Cabinet fixing plate BA




index	colour
WH01.0614.01	062

Refrigerator hanger




index	colour
TH02.1225.05	013

Glass pane grip



index	colour
TH02.1118.05	013, 081


End cap



\varnothing	index	colour
35	TH02.1321.05	013


COATING CODE: 013 WHITE 062 WHITE ZINC 081 TRANSPARENT

Confirmat screw



Ø x L	index	colour
6,4 x 50	TK01.0269.01	062
7 x 50	TK01.0277.01	062

Wooden dowels




Ø x L	packaging	index
8 x 30	10 000 pcs	TK01.7581.17.000
8 x 35	8 650 pcs	TK01.7582.17.000

Information section

Index structure:

WE03 . 7319 . 01 . 001



Coating codes:


Galvanised coatings (steel)



Galvanised coatings (aluminium)



Lacquer finishes



wykończenia łączone



Information section

Plastic finishes



Wood finishes



Additional information:

Measurements are provided in mm.

General terms of sale regulating the purchasing conditions are available at points of sale and sales representatives.

The manufacturer reserves the right to make technical changes and to the catalog offer. The manufacturer is not responsible for typographical errors in the text or technical drawings.

The arranged photos are for demonstration purposes, they are intended to illustrate the use of the product.

The content of the catalog is copyrighted ©. Copying, reprinting text or graphics and photos without written consent from the manufacturer is prohibited.

HEADQUARTERS:

REJS Spółka z o.o., 87-500 Rypin, ul. Mławska 61
BOK + 48 54 280 56 51, www.rejs.eu



RejsRypin



rejs_wyposazenie_mebli



REJS Group



Rejs2012